neMining And Meta etallurgical etallurgical

VOL. XXII. No. 9

LOS ANGELES, CAL.,

February 1, 1900,

NEW YORK, N. Y

Price 15 Cents

Analytical Chemists and Assayers

HAMBUN & MORRISON,

144 Chestnut Street.

PHILADELPHIA, PA

WM. M. COURTIS.A. M.

Mining and Retailurgical. Engineer

Assayer and Analytical Chemist

Office: 412 Hammond Building, Permanent Address, 440 4th Ave. Detroit, Mich.

Patents on Inventions secured in all cotries. Copyrights, Trade Marks and Labels.
OPPICE, an Potomac Block

The Edward P. Allis Company

MILWAUKEE, WISCONSIN

-See Pace 114 🛪



ROESSLER& HASSLACHER Chemical Co. 100 William St., New York



Salphide of Iron

And Other Chemicals for Mining Purposes

PATENTS

SOLICITORS PATENTS

Los Angeles, Cal Telephone 347.

QUAKER CITY RUBBER COMPANY.

409 MARKET ST., PHILADELPHIA, or 21 SO. CANAL ST., CHICAGO.

Joseph Dixon Crucible Co.

MINERS, IMPORTERS AND MANUFACTURERS

GRAPHITE % PLUMBAGO

JERSEY CITY, N. J.

RETORTS, CRUCIBLES, GRAPHITE LUBRICANTS, BELT DRESSING, GRAPHITE PAINTS, LEAD PENCILS, AND GRAPHITE PRODUCTS OF ALL KINDS.

Send for Production Catalogue.

Graphite Makes the Best Substeam and Best Paint.

ADAMANTINE SHOES &

CHROME CAST STEEL

THE CANDA PATENT SELF-LOCKING CAM. Tappets, Bosses, Roll Shells & Crusher P ates Also Rolled Parts for Huntington and Other Mills

These castings are extensively used in all the Mining States and Territories throughout the world. Guaran-teed to prove better and cheaper than any others. Orders solicited subject to above conditions. When ordering send sketch with exact dimensions. Send for Illustrated Circular.

CHROME STEEL WORKS.

Stamp Dies Kent Ave., Keap and Hooper Sts., BROOKLYN, N. Y-







The Mail Dry Gold Saver ...

The only thoroughly practical DRY WASHER ever invented, will save a larger per cent. of gold than any other machine. It is Cheap, Light and Durable.

The material used in its construction is o the best, well bolted and screwed (not nailed together. Woodwork, spruce; lining, galvanized iron; riffle screen, No. 70 mesh, brass wire

Small size \$35, medium size \$40, large size \$50.

A. G. GODFREY, Manufacturer,

206 S. Los Angeles St. Los Angeles, Cal.



DANIEL'S P.P. ROD PACKING

FOR ALL RODS:

Steam, Water, Ammonia, etc. You get your money's worth, or you get your money back.

1543 Marquette Building.

PARKE & LACY COMPANY

21 and 23 FREMONT STREET, SAN FRANCISCO, CAL.

LICENSEE FOR THE MANUFACTURE AND SALE OF



The Huntington **Centrifugal Roller**

THE HUNTINGTON MILL is so well and States, Canada, Mexico, Central and South America, Australia, China, Japan, and South Africa. In fact, wherever mines exist, and have

given the best extisfaction of all quarts crushing mills.

The Construction of this mill has lately been much improved and we claim it to be the CHEAPEST, MOST EFFICIENT, SIMPLEST, AND MOST DURABLE MILL UPON THE MARKET.

Knowles' Pumps and Pulsometer Pumps, lugersoil-Sergeant Rock Drills and sers, Bullock Diamond Drills.

OATALOGUE UPON APPLICATION

Les Angeles, Cal. Office, 306 Byrne Building, W. H. Ailler, Representative



THEODOR LEXOW

12 to 16 John St., near Broadway, N. Y.

CARBONS

DIAMOND DRILLS and all Mechanical

Henry Demmert

BUNNE RAINBOW

A RED RUBBER BELTING, made from the celebrated Rainbow composition, which is peculiarly adapted for Dry Climates, is not affected by Dampness and especially designed for heavy service. Every belt tested before leaving factory.

> 500,000 Feet Sold During 1898 Not a single Belt Returned



Also try the well known "Peerless" Brands, Air Drill, Steam, Water, Suction, Fire Hose. Rainbow Sheet Packing. Peerless Piston Packing, Honest John Packing, Hercules Metallic Stop Valve

PATENTED AND MANUFACTURED EXCLUSIVELY BY

The Peerless Rubber Mfg. Co., 16 WARREN STREET, NEW YORK 18-24 Woodward Avenue, Detroit, Mich. 202-210 8. Water Street, Chicago, Ill.

Dynamite High Explosives and "Vigorit Low" Blasting Powder

OPPICE: 208 California Street, San Francisco, Cal.

WORKS: Point Isabel, Contra Costa Co. Cal.



Union Gas Engine Co.,

801 Howard Street,

The only Genuine ALBANY GREASE bas this Trade Mark on every pack-age, Look out for Yellow Label.



Albany Dynamo & Albany Gylinder Oils
If you are not using these Oils give them a trial
at once, and we know the result. You will want
no other

Especially Adapted to Mining and Milling Machinery.

ADAM COOK'S SONS, 313 WEST ST., NEW YORK.

BRANCHES:

TATUM & BOWEN, 34 Fremont Street, San Francisco, Cal. 42-49 First St., Portland, Oregon.

South Canal Street, Chicago, Illinois

California Vigorit Powder Co. THOMPSON & BOYLE CO.

MANUFACTURERS OF

--- STEEL MINING PIPE

Cyanide Tanks, Water Tanks, Air Pipe, Hydraulic Mining Material

310-314 Requena St.,

Los Angeles, Cal.

WILLIAM H. EMANUEL,

REPRESENTING

RAND DRILL COMPANY, THE EDW P. ALLIS CO.,

General Mining, Milling and Smelting Machinery and Reynolds Corliss Engine TRENTON IRON CO., Wire Rope and Bleichert Tramways
HENRY R. WORTHINGTON, General Service and Mining Pumps
ROBIN'S BELT CONVEYOR

DENVER

COLORADO

The Baker & Adamson Chemical Co.

Strictly Chemically Pure Acids and Chemicals and Ashless Filter

Papers


The Standard Authority

The Standard Authority

One Volume, Small Quarto, 3rg Pages, 72 Illustrations, 85.00.

A Practical Treatise on
Hydraulic Mioling in California
By Ado. J., Bowis, Js., Mining Ringineer
Contents
File Records of Gold Washing.
General Topography and Geology of California; The Distribution of Gold and Deposits, and the Value of Different Strata; Amount of Workable Gravel Remaining in California; Precliminary Investigations; Reservoirs and Dams; Measurement of Morey and Constructions, Reservoirs and Dams; Measurement of Morey and States, The Manager California; Precliminary Investigations; Reservoirs and Dams; Measurement of Morey and States, The Manager Manager Hydraulicking; Distribution of Gold in Silices, Loss of Gold and Quickstiver; Duty on Silices, Loss of Gold and Quickstiver; Duty on Buck Miner's Inch. Statistics of the Costs of Working, and the Vield of Gravel.

3)
D. VAN NOSTRAND CO., Publishers



ORIENTAL HOIST

Any Size Built on Demand Simplest and Best Mining Holst Built Write for Particulars and Prices

Oriental Gas Engine Co.

227 and 229 Folsom Street,

SAN FRANCISCO, U.S. A.

Hoskins' Patent Hydro-Garbon -



Blow-Pipe and Assay Furnaces

WM. HOSKINS,

81 South Clark St., Room 57 CHICAGO, ILL.

ALPHABETICAL INDEX TO ADVERTISERS

Abbott, W. O	őn.	Eimer & Amend	170	I		8	
Agramonte, C. H. M. y	En.	Winner & Amand	277-				
Agramonte, C. H. M. y	Res		非月期	Leffel & Co., James.	14n		
Agramonte, C. H. M. y		Emanuel, Wm. H	20	Lenigh University	88	S. F. Novelty & Plating Works	100
Ainsworth, Wm. & Sons		Estimates, 17 to 1			In	S. F. Ploneer Screen Works	16a
Aitchison Perforated Metal Co., The Robert	ila			Lingerwood Manufacturing Co	48	Scalle & Sons, Wm. B.	18a
	15n	700		Link Belt Machinery Co.	4a	Schoellkopf, Hartford and Maclagen, Ltd	170
Allis Co , Rdward Pla	, 11a	E.		Little Alaska Gold Washer	16a	Sexton, J. R.	186
Alteneder & Sons, Theo	148					Shaw, William	40
American Diamond Rock Drill Co	15a	Pairbanks, Morse & Co	70	M		Shults Belting Co	
American Impulse Wheel Co		PRIPORTER, MOTHE OF COMMISSION	128	TAT		Selby Smelting & Lead Co	124
American Injector Co	12n		140	Macbeth & Co., James	120	Simonds & Wainwright	Sa
Aubury, L. B	6a	Ferrari, Guido	Ra	Mait Dry Gold Saver	48	Smith & Co, Francis	160
The said of the sa		Possil Meal Co	15n	Mannase Co., Languages	16a	Smith & Thompson	180
		Fowler, G. C. Fulton Rogine Works,	170	Mathison & Co	128	B. B. Machinery Co	120
TB		Batton Rukine Motwa	94	McCoy J. W.	20	State Ore Sampling Works	180
		Free Vanning Machine Co	16a	McCoy Percy B	158	Sullivan Machinery Co	110
	100	Bine Auntina stremme commendation		McKelvey, Chas. 8	88	Course Discoursely Commission International Vision	
Bally & Monnig	134			McNamara, Geo. G	20		
Baker & Adamson Chemical Co	20			Metallic Cap Manufacturing Co	170	T	
Baker & Co	30	G		Montana Ore Purchasing Co	17a		
Baker Iron Works	184			Morgan-Watson Mining & Construction Co	Sin.		
Beckley & Co., A. L.	140	the state of the s	18.	Moore & Co Chas C	4m	Tatum & Bowen	6a
Bell, Newton M Berger & Sons, C. L.	GA	Galindo, Lic Rilas	IDR	Mould & Co., Henry 8	Ca	Taylor & Co., John	16a
Aerger & Sons, C. L.	188	Globe Machine Works	FOR	and the day of the control of the co	Ott	Taylor Iron and Steel Co	GR
Bi Metallic Assay Office	TOR	Godfrey A. G.	A.M.	N		Temple Machine Co	1.5m
Bickford Drill Co	16a		Ga	T.V		Thomson & Boyle	2a
Billin, Chas. H & Co	10	Goodsell Packing Co	108	National Association of Stationary Engineers	90	Townsend Bros	In
Bradley-Ramsey Lumber Co	3.80	Candyses Bubber Co	4.0.		17n	Trenton Iron Co., The	BR
Brandis & Son, F. E.	38	Gutta Percha Rubber and Mfg Co	120	National Pipe Bending Co	148	Troemner, Henry	
Braun Co., F. W	Bu			New Haven Manufacturing Co	18a	Truax Manufacturing Co	16a
Brown Horace F., M. E	178			New Standard Co., (Inc)	18a		
Brownell, James S	16a			Nicholson, & Co	Sa		
Buck Manufacturing Co., M. M.	178	H		Norwalk Iron Works		U	
Bullock Mfg Co, M. C.	98			TOTAL BOX ALON ALON MANAGEMENT CONTROL OF THE PARTY OF TH	AUN	with the second control of the second contro	-
Burlingame, H. R	-34	and the second s	400			Union Gas Engine Co	28
		Hamlin & Morrison		, 0			
		Hercules Gas Engine Co	88	Onder Asses Office	40		
		Hendy Machine Works, Joshua	TOSE.	Ogden Amay Office	448	V	
~		Henshaw, Bulkley & Co 12a, 18a, 14a, 16a,	10m	Oliver Powder Co			
· ·		Hersey, Clarence	90	Oriental Gas Engine Co	20	and the second second	- 1
	44.	Hoskins, Wm	28	-		Van Der Nailien, A	38
California Perforating Screen Co	108			F		Van Nostrand Co., D. Van Wagenen, Theo. F	78
California Anti-Caloric Co	84			Danielline Bales de		Van Wagenen, Theo. F	96
alifornia Vigorit Powder Co	2a	I		Paraffine Paint Co	IbB		
hambers Sec'y, J. C.	8a	-		Parke & Lacy Co	180		
hapman Smelting Works Co	18a			Pelton Water Wheel Co	ie.		
hester Steel Castings Co	80.	Independent Assay Office	13a	Penn Smelting and Refining Co	14a	W	
Chrome Steel Works	In	Ingersoll, Sergeant Drill Co	9a	Perez, R. A., B. M.	18a		
Sleveland Mining and Stock Exchange Co	25株	Irving & Co., Jas	8a	Peerless Rubber Manufacturing Co	28	Wade & Wade	170
ling-Surface Manufacturing Co	75%	Al ring or and June			168	Watson, R. N	18a
Colorado Iron Works Co				Pulsometer Steam Pump Co	6a	Weber Gas and Gosoline Engine Co	aa
look's Sons, Adam	2a					Weber & Co., F	Sa.
on. Kansas City Smelting & Refising Co	100	-		(a)		Weigele Pipe Works	8m
Courtis, Wm. M., A. M.,	la	J		And the state of t	-	Weis & Gibson	6a
ummer & Sons Co., F. D.	178			Quaker City Rubber Co	IR	Western Chemical Co	8a
		Jackson Drill and Manufacturing Co., The	18a		12a	Western Forge & Rolling Mills	
		Jeffrey Manufacturing Co	12a	Quick, John W	10B	White Rogers & Co	17e
_		Johnson, Matthey & Co., Limited	170			Wigmore & Sons, Co. John	18a
D		Johnson, Martiney & Con diameter		R		Wood, Henry B	
						Woodbury Concentrator Co	
Davis Iron Works Co., F. M	16e			Reckhart, D. W	lba		
Denniston, R. G.	18a	K		Reed, John T	10a		
Chairton, A. O		Di-		Ricketts & Banks			
					Ja	Y	
Denver Fire Clay Co		Kempton, C. W	15a		14a		
Denver Variety Machine Shop			150	Ruggles-Coles Engineering Co	17a	Yawger, I. C	
Denver Variety Machine Shop		Keuffel & Raser Company	ANG	THE PROPERTY OF THE PARTY OF TH			
Denver Variety Machine Shop Dietzgen & Co., Rugene Dixon Crucible Co., Jos	1a 16a	Keuffel & Rsser Company 6a, Kohlbusch, Sr. Herman	184	Russell & Kinsey	16a	Young & Sous	- 64
Denver Variety Machine Shop	la.	Keuffel & Esser Company ba, Kohlbusch, Sr. Herman	184	Russell & Kinsey			- 64

Crude Platinum Purchased.

To Identify Crude Platinum when found, send 75c for Sample in glass, packed in a strong box. We purchase or refine anything containing Platinum.

BAKER & COMPANY,

J. W. McCOY.

Consulting Mining Engineer,

1202 Owings Building, Chicago, III.

Examinations and Reports on Mining Properties

NEWARK, NEW JERSEY NEW YORK OFFICE: 130 Liberty Street. * SCHOOL OF *
Practical Inicing, Civil, Itechanical,
Electrical Engineering, Metallurgy,
Cyanide Process, &c.
Surveying, Architecture, Drawing and Assaying,
933 Maskel 37 Ban Francisco, Oal,

OPEN ALL TEAR
OPEN ALL TEAR
OPEN ALL TEAR
A VAN DER NALLLEN, President.
Assaying of Ores, 35; Bullion and Chlorination
Assay, 32; Blowpipe Assay, 310. Full Course
of Assaying, 350. Established 1964.

A1 .-- WEBER Hoist is always -- Al. And they Always

The Buena Vista Smelting & Refining Company, B. F. MORLEY, Manager

BUENA VISTA, COLO. Sept 13-1898.

Weber Gas & Gasoline Engine Co.,

Kansas City, Mo.

Gentlemen:-

Replying to your favor of the 12th inst: I have not time to write an extended letter. You may, however, quote me as saying that the hoist is A 1 in every respect, and entirely satisfactory.

Yours truly.

The Buene Vista S.& R.Co.,

B. J. morley

Runs on Casoline, Distilate or Kerosene, Sizes 4 to 100 H. P.

Get our New Catalogue—Tell us your requirements and we will save you some money Holsting or Pumping or Running any kind of Machinery.

Established 1872. F. E. BRANDIS, SONS & CO. ENGINEERING

FOR ALL PURPOSES. 812-814 GATES AVE., BROOKLYN, N. Y. Catalogues mailed on application.

Theo, F. Van Wagenen, E. M.

CONSULTING, MINING and HYDRAULIC ENGINEER.

BOISE, IDAHO.

George Gordon McNamara

Consulting Mining Engineer and Retailurgist McNeill Code Florence, Arizona

Bedford McNeill Code

Horace F. Brown, M. E.

Mechanical Roasting, Cooling and Conveying of Ores. Automatic milling plants adapted to standard prorocess.

699 Washington Boulevard



Engineers' and Draughtsmen's Supplies

P. MEBBR & CO. 1125 CHRATNUT ST., PHILADELPHIA

E. E. BURLINGAME & CO., ASSAY OFFICE AND CHEMICAL

Retablished in Colorado, 1866. Samples by mailor express will receive prompt and careful attention 601d & Silver Buillon Rebned, Melted and Assayed Concentration Tests 100 ibs. or car load lots. Write for terms. 1736-1738 Lawrence St., Denver, Colo.

Chas. S. McKelvey, ATTORNEY AT LAW

Mines and Mining Law a Specialty

CHICAGO, ILL | 505 Bullard Block, Los Angeles, Cal.

The CALIFORNIA ANTI-CALORIC COMPANY

Steam Pipe and Boiler Covering

Manufactured under our own Patents and solely from California Products.

ANTI-CALORIC PLASTER; the best and cheapest Insulating Planter in the Market.

Pactory, Potrero Tel. Main 5752 OFFICE: 217-219 Mission St., San Francisco The Weber Gas and Gasoline Engine Co.

434 S. W. Boulevard, Kansas City, Missouri.

E & CO. CHAS. C.

ENGINEERS AND DEALERS IN

BABCOCK & WILCOX BOILERS.

McINTOSH & SEYMOUR ENGINES,

HAMILTON CORLISS ENGINES, N. Y. SAFETY AUTOMATIC ENGINES,

GREEN'S ECONOMIZERS

WHEELER CONDENSERS,

BARNARD-WHEELER COOLING TOWERS,

HOPPES LIVE STEAM PURIFIERS

EDMISTON FEED WATER FILTERS, BUNDY STEAM TRAPS, SPENCER DAMPER REGULATORS,

HYATT ROLLER BEARINGS.

STRATTON STEAM SEPARATORS,
SNOW STEAM PUMPS,
QUIMBY SCREW PUMPS, Watch this Space for description of the above Machinery.

~66000000 Send for Catalogue and Full Information.

GOUBERT FEED WATER HEATERS,

32 First Street, San Francisco, Cal.



GOODYEAR'S

RUBBER GOODS

Miners 🔊 Mining

Crack Proof Boots, White Rubber Coats, Oil Clothing

BELTING, PACKING AND HOSE

573, 575, 579 Market Street, SAN FRANCISCO, CAL.

R. H. PEASE, Vice President and General Manager.

73 and 75 First St. PORTLAND, OREGON

Lidgerwood **Hoisting**

CABLEWAYS Holsting and Conveying Devices

EUGENE DIETZGEN CO. 181 MONROE STREET, CHICAG 149-151 FIRH Ave., New York, N.



Reliable Assays

RICH ORES AND BULLION BOUGHT OGDEN ASSAY CO.,



WILLIS SHAW, 629 N.Y. Life Bidg., CHICAGO

Advertising Space



Mexican, American and

TRADEMARKS. ETC.
Reports on Mining and Other Properties.
Proprietors of Weekly Anglo-American, a first-class Advertising Medium.

Betablished 9 Years.
C. H. M. Y Agramonte.
P. O. Box'888. Cable Address "Agra" Ciry of Mexico. Mexico

Write for_

IN THE JOURNAL



Built to gauge on the Duplicate Part System. Quick Delivery Assured.

or 328 feet centers, handling 4 'run of mine'' coal per minute

HENSHAW, BULKLEY & CO., Agents, San Francisco,

EVATORS

CONVEYORS





"Link Belt" 4-Wheel Locomotive, 2 Notor

Electric Coal Mining and Haulage Machinery, Link Belting, Sprocket Wheels, Malleable Iron Buckets, Shafting, Pulleys, Gearing, Clutches, PATENT MACHINE-MOULDED ROPE SHEAVES, ETC.

THE LINK-BELT MACHINERY CO., ENGINEERS, FOUNDERS, MACHINISTS, CHICAGO., U. S. A.

BOOKS ON MINING & METALLURGY.

A CAREFULLY SELECTED LIST OF STANDARD WORKS FOR PRACTICAL MINERS, METALLURGISTS. MINING ENGINEERS AND METAL MANUFACTURERS.

The Alloys and their Constituents. By Prof. Robt.

H. Thurston, Cornell University. Second edition, 8vo., cloth. \$2,50 Copper, Tin, Zinc, Lead, Artimony, Bismuth, Nickel, Aluminum, etc.; The Brasses, Bronzes, Copper Tin-Zinc Alloys, Other Valuable Alloys; Their Qualities, Peculiar Characteristic Unes and Special Adaptions: Thurston's "Meximum Alloys"; Strength of the Alloys as Commonly unde and as infected by Special conditions; The Mechanical Treatment of Metals.

Notes on the Treatment of Gold Ore. By Florence

The Chlorination Process. By E. B. Wilson, E. M.

Vol. II.—Gold, Mercury, etc. Illustrated with 140 engravings and folding plates, 935 pages, 8vo.

estions.

"Should be in the hands not only of all Engineers but of all
Mine owners and Metallurgists as well."—Mining Review.

Practical Time Ventilation. By E. B. Wilson, M. E. Fifth edition with plates, 16mo, cloth.......\$1.25
For the use of Mining Engineers, Students and Practical

"We recommend it heartly to our Mining community."—
Colliery Guardian (London.)

The Modern High Explosives-Nitro-Glycerine and

are dealt with.—Chemical News.

The Metallurgy of Iron. By Thomas Turner, Associate of the Royal School of Mines. Illustrated by 80 engravings, octavo, 381 pages, cloth.....\$5.00 This book is primarily intended for persons who are connected with the manufacture of iron and steed, and who may be assumed to have siready some general knowledge of the subject discussed. At the same time the volume may not be without interest to others than those for whom it was specially prepared.

out interest to others than those for whom it was specially prepared;
"A most valuable summary of useful knowledge relating to every method and stage in the manufacture of cast and wrought from. An exhaustive and really needed compilation,"—Bulletine of the simetrican term and Steel Association.

A Treatise on Mine-Surveying. By B. H. Brough, Associate of Royal School of Mines. With 102 illustrations. Octavo. 340 pages, Cloth..\$2.50 The work is intended primarily for students; and, at the standard works of reference on land-surveying. The methods of surveying in the Pennsylvania anthractic mines are fully dwelt on, and, the most recent forms of American instruments are described and illustrated. A description is also given of the methods adopted in the survey of metalliferous mine-claims in the Western United States.

"It is the kind of book which has long been wanted, and no Ruglish speaking mine agent or mining student, will consider his technical library complete without it.—Valure.

A Text-Book of Ore and Stone Mining. By C. Le

The Metallurgy of Gold. By T. Kirk Rose, B. Sc., Edited by Prof. W. C. Roberts-Austen, C. B., P. R. S. Third edition, Revised. Including the most recent improvements in the Cyanide Process, and a new chapter on Economic Considerations (Management, Cost, Output, etc.) With frontispiece and additional illustrations. Large octavo, hand-some clath.

value to practical men.

Oetting Gold. A Gold-Mining Hand-Book for Practical Men. By J. C. P. Johnson; F. G. S., A. I. M. E. With illustrations. Crown octavo, cloth... \$1.50 A compendium, in specially concrete form, of useful information respecting the processes of winning from the soil and discoveries by the author. Practical information, original discoveries by the author. Practical information, original and selected, is given to mining company directors, mine managers, quartzmill operators, and prospectors.

selected, is given to mining company directors, mine managers, quartzmill operators, and prospectors.


A Text-Book of Assaying. By C. and J. J. Beringer. For the use of those connected with mines, ger. For the use of those connected with mines, and the delition. With numerous Diagrams and Index. Crown octavo. 400 pages. Cloth...33.25 Prepared to meet the existing want of a practical "handy-book" for the assayer. The author has given the results of a series of experiments showing the effect of varying conditions on the accuracy of the process. Statements like those generally made, that "this or that substance interferes," are insufficient. It is necessary to know under what conditions and extent. "A really meritorious work, that may be safely depended upon either for systematic instruction or for reference.—Mater. B asting. By Oscar Guttmann, Assoc. M. Inst. C. E., A Hand-Book for the use of Engineers, and others engaged in Mining, Tunnelling, Quarrying, etc. With 136 illustrations. Octavo, cloth.........33.50 Mr. Gutmann's "Blasting" is the only work on the subject which gives full information as to the new methods adopted since the introduction of dynamic, and, at the same time, the results of many years practical experience both in mining work and in the manufacture of explosives. It therefore presents in concise form all that has been proved good in the various methods of procedure.

Tables for the Determination of Minerals.

- Sent Post Paid to any address on receipt of Price.

The White Briquetting Press

FOR COAL, FINE ORES, FLUE DUST, CONCENTRATES



SOLE LICENSEES TO SELL AND OPERATE

The Henry S. Mould Company,

Carnegie Building

PITTSBURG, PA., U. S. A



CANTHUR-FORREST PROCESS.

CYANIDE PROCESS

The McArthur-Forrest Cyanide Process

For the Treatment of Refractory and Low Grade Gold and Silver Ores and Tailings. We are the Originators of the Cyanide Teatment, and have kept up with the times in all Improvements in Cyanide Methods.

Successful Plants in Operation in all Western Mining States Samples Assayed and Pully Reported upon. Properties Examined. Designs furnished. For Terms and Particulars, Address

THE BOLD AND SILVER EXTRACTION CO., of America, Ltd. GEO. A. ANDERSON, General Manager

WILLIAM RUSSELL, Chief Chemist

Testing Works: 1716 Blake St., Denver, Colo. 208-210 McPhee Building, Denver, Colorado.



See those wires-how they Interlock? Note the smooth surface also.





No Displacement of Wires in any event. * Gives three times the service of other cables and adds correspondingly to the life of the rolling stock.

THE PATENT -

Bleichert Wire Rope Tramway

THE TRENTON IRON COMPANY, Trenton, N. J.

and Sole Licensees in North America for the Bielchert System. Also, Wire Rope Rquipments for Surface and Underground Haulage, Transmission of Power, etc. Illustrated book upon application

The Pulsometer Steam Pump "THE MINOR'S PRIEND

Often Imitated-Never Equated Over 20,000 in Use

RECENT IMPORTANT IMPROVEMENTS

- AGENTS -

PARE & LACY CO., A. M. HOLTER HOW. CO., MITCHELL-STAVER & L. SWIS CO.
San Francisco, Cal. Neiens, Mode. Portland, Oregon.

Pulsometer Steam Pump Go.

YOUNG & SONS.

Engineering, Mining and Serveying Instruments Noted Improvements in Auxiliary Telescopes for vertical sighting in mines. Makers of the inclined standard transits. Non-Extension Telescopes, moisture and dust proof. Write for special circulars of mining transits.

43 N. Seventh St., Philadelphia Penn.

Lew E. Aubury, Mining Engineer,

ASSAY OFFICE.

118 W. Pirst Street.


Los Angeles, Cal.

SAVE MONEY! FUEL COSTS MONEY



Protect your pipes and be era with Wm. Rerkeld's per era with Wm. Rerkeld's per sil neal composition, pack in sacks, casy to transpose anywhere. Send for far and figures.

Advertise in the Mining and Fletalinegical Journal.
The Only Exclusive Mining Publication in the West.



Established 1863

Incorporated 1890

NOTICE TO GOLD MINERS Silver-Plated Copper Amalgamated Plates

FOR SAVING GOLD

In Quarts, Gravel or Beach Mining. Made of best soft lake su-perior copper at Reduced Prices. Our Plates are guaranteed, and by actual experience are proved the best in weight of Silver and durability. Old mining plates replaced, bought, or gold separated.

THOUSANDS OF ORDERS FILLED.

San Francisco Novelty and Plating Works,

SEND BOR CIRCULARS. Telephone Main 976
68,70, 72,74 and 76 First St., Cor. Mission, San Francisco, Cai

SIMONDS & WAINWRIGHT.



Chemical and Mining Engineers Assayers and Analysts

159 Front Street, New York

WEIS & GIBSON,

Assayers and Analytical Chemists 1734 ARAPAHOR ST., DENVER, COLORADO

S: Clark St, Chicago, Ill. or carks of all kinds. Mail orders promptly attended to. Mining properties ex-amined and reported upon. Term on application

Assay Office and Ore Testing Laboratory

Of HENRY E. WOOD, Assayer

Batablished in Colorado in 1876
Control and Umpire Assays a Specialty. Wildey
Concentrator in Operation, Write for circular
giving prices, etc.

FULTON ENGINE WORKS Mining, Milling Smelting Machinery

Estimates Furnished on all Classes of Mining Work

P. O. Box 296, STATION "C"

LOS ANGELES, CALIFORNIA

HADFIELD'S MANGANESE STEEL, HARD,









For Particulars, Neuriton O. Bell, Agent, 308 MARKET STREET SAN FRANCISCO, CAL. Sole Licensees in America under Haddeld System and Patenta. High Bridge, N. J., U. S. A. All Pacific Coast parties Interested please address, Parks & Lasy 0s., San Francisco, Cal.

ENVERBED AS THE BOST OFFICE AT LOS HUBBLES, CAUTORRIA AS SECOND CLASS MAIL MATTER,

Vol. XXII. FEBRUARY 1, 1900.

F. W. EDELNTEN, Editor.
O. S. BREESE, Associate Editor.
J. A. RAWSON, JR., Business Manager
ULRICH KNOCH, Publisher

MAIN OFFICES

Stimson Block, Los Angeles, Cat. 32 Broadway, New York, N. Y.

	BR	ANG	H .	OFFICES:
San Francisco, Cal.				. 64-65 Merchants Exchange
Chicago, III. Denver, Colo.				413, 59 Dearborn St.
Sait Lake City, Utah		3		- 15 W. Second South St.
Spokane, Wash		4	20	· Hypotheck Bank Bidg.
City of Mexico, Mexi	00		No.	, 4 Calle de San Juan de Loiran

SUBSCRIPTION PRICE:	
For United States, Mexico and Canada,	\$2.50 per annun
All other countries in the negral union	3.50 per annum
All other countries in the postal union	1.75 six months

NOTICE TO SUBSCRIBERS.

Subscribers not receiving their copy of the Journal regularly, whether ordering through agent or direct, will kindly notify the Los Augeles, Cal., office.

ADVERTISING RATES FURNISHED ON APPLICATION

TABLE OF CONTENTS.

Editorials	
For a National Bureau of Mines	107
The British Miners' Interest in the Boer War	107
Senate Financial Measure	107
Mining Interests of South Africa	108
The Ed. P. Allis Co	108
Miscellany	
*Klondike Gold Fields (By TAPPAN ANDEY)	109
Los Angeles Exposition	110
*The Black Mountain Coal Field (By F. H.	
HEALD	111
A Study of Limestone	112
The Metallurgy of Gold. By L. J. STABLER	113
Notes on Ymir Mine and Its Mill Practices. By S. S. Fowler, S. B., Nelson, B. C	114
Geology of the Cochiti. By WM. JENKS	114
Pierce County Mines	115
*Illustrated	
Correspondence	
ATTEMENT and appropriate productions are administrated and and area and make a	TIE
California	117
Washington	118
Miscellaneous Mining News	
California	119
Colorado допинентенници през дишен се запишен рандости се се	130
Michigan	119
Nevada	119
Foreign Mining News	
British Columbia	119
Mexico	119
Book Reviews	120
Latest Mining Decisions	120
Personals	120
	120
The Markets Metals	7a
ACCO	
Chemicals	
Financial Notes	
Average Prices of Metals	80
Average Monthly Prices of Silver	
Money in Circulation	
Money in Treasury	
Gold and Silver Exports and Imports	
Incorporated Mines Paying Dividends	

FOR A NATIONAL BUREAU OF MINES.

We present below the full text of the bill introduced in the lower house of Congress by Representative Gibson, providing for the establishment of a Bureau of Mines and Quarries. We believe that the United States' mining interests have a right to demand the enactment of a law similar to this, and we shall be glad to publish the expressions of any of our readers regarding the features of the Gibson bill. The bill reads as follows:

"Be it enacted by the Senate and House of Representatives of the United States of America, in Congress assembled, That there is hereby established in the Department of Labor a Bureau of Mines and Quarries, which shall be charged with the duty of investigating the condition, extent, operation, and output of all mines and quarries in the United States, and of reporting annually to the President and to Congress the statistics of all mines and quarries in the United States, properly tabulated, along with such suggestions as it may deem proper for the due management of mines and quarries, their drainage, supply of pure air, prevention of dangerous explosious, and caving in of the earth or rock, and the comfort and safety of the opera-

That the said bureau shall collect and publish from time to time the laws of the various States of the United States and of foreign nations for the safe and healthful operation of mines and quarries, and for the protection, fair treatment, and general welfare of those working in them as laborers, along with such analyses and suggestions as it may deem of value.

SEC. 3. That the said bureau shall also collect and publish, from time to time, the laws of said states and nations enacted to prevent those laboring in mines and quarries from being unjustly dealt with by the owners or lessees thereof in weighing, measuring, or paying for the laborers' output, or requiring them to take token money, or goods, or credit in place of money, or to deal at particular stores, or with particular persons, or in hampering them in any way as to how they shall be paid, or how they shall spend their wages. SEC. 4. That the Commissioner of Labor

shall designate a suitable person for chief of said bureau, and suitable persons for clerks and inspectors under him, and shall assign to said bureau suitable quarters in said department: and the sum of fifty thousand dollars is hereby annually appropriated, out of any money in the Treasury not otherwise appropriated, to pay the expenses of said bureau.

THE BRITISH MINERS' INTEREST IN THE BOER WAR.

John Hays Hammond appears in a British publication as the spokesman of the English mining interests concerning the war in South Africa, and the principles at stake as they are observed by Englishmen who are interested in any way in South African mining affairs.

Mr. Hammond says "The year (1899) has ended in the sternest war of the last quarter-century — a war springing solely from the struggle of the new spirit of industrial progress against the old forces of political repression. And sooner or later by force of arms or by sheer moral power, the conflict is certain to end in the emancipation of enterprise and the freedom of engineering effort to develop to the utmost the economic resources of one of the richest mineral regions of the world. The solution of the present crisis will, no doubt, have a strong, though indirect, influence in that development of the African continent of which Cecil Rhodes is the leading exponent. It is not to be believed for a moment that he-or any association of men-has directly influenced the precipitation of the present struggle, nor that it would have been possible for him to do so had he been disposed. It is part of an organic progress toward fuller life in a region destined to play a large part in the world's economic future. Mr. Rhodes is keen to discern the march of events, and to place himself in the lead in ordering and directing them. The Boer government has been in the hopeless attitude of striving to stay them. It is obvious that the whole world is vitally concerned in the wise and permanent adjustment of the South African problem. It is an economic question, in which the engineer's insight is clearest and his influence strongest. Every man in the profession should array himself on the side of sound and enlightened policy, to the end that the English Government may not only make such a policy the basis of its dealings with future Africa, but may clearly and promptly declare the justice, honor and liberality of its purpose, and so enlist the moral adherence of the civilized globe."

SENATE FINANCIAL MEASURE,

One feature of the new financial scheme has not been very much noticed. It forbids the issuance of National banknotes in future, and the reissuance of greenbacks and treasury notes of less denomination than ten dollars. and the issuance of silver certificates of greater denomination than ten dollars.

It will be observed that the money employed in all small transactions will be silver or its representative certificates, and gold coins below ten dollars. As no gold is coined in less denominations than five dollars, though there are outstanding a few two-anda half-dollar pieces, the bulk of all small transactions will be through the medium of silver or its proper representative. The five dollar gold pieces, outside of California and a circumscribed adjacent region will perform very little part, as gold coins elsewhere in the nation are very little in circulation, and in the greater part almost none.

This leaves vacant a considerable field for silver circulation, either in coin or its paper substitutes. It is said that \$800,000,000 are required in the retail business of the country, and it is in small amounts, much of it in sums less than ten dollars. The measure says nothing about the legal tender quality, but as it does not repeal the existing law which makes silver dollars legal tender in unlimited sums, it was unnecessary to confer anew that

quality.

How much silver will be required in business in the new conditions thus created can be but a matter of uncertain estimation. Mr. Lacy, late Controller of the Currency, thinks that were silver to be used wholly in transactions under ten dollars the aggregate sum required would be three or four hundred million dollars. As it and gold coins under the denomination of ten dollars will have to do all the work, considerably more than Mr. Lacy's estimate will be needed. The silver already coined and the silver bullion in the treasury amount to something like \$500,000,-000. As the new measure does not put a stop to the coinage of the bullion on hand, it is presumable that it will go on at the rate of \$18,000,000 per annum, but it will take several years to exhaust it at that rate. This coinage of the silver bullion will not, however, increase the volume of money, as it is provided that the treasury notes shall be retired and canceled as fast as silver is coined.

The system thus quoted is peculiar and eagmatical. The new measure declares that the gold dollar composed of 25.8 grains ninety per cent fine, shall be the unit of value; that is to say that all else shall be measured by it, and that the parity of the two metals shall be maintained, or in other words, that the market price and debt-paying price shall be made equal. The theory of the advocates of the gold standard is that the value of silver shall be determined by its market price as a commodity instead of the denominational value stamped upon it at the mint. Silver then, as a matter of sentiment will be debarred.

The price of gold does not fluctuate in the markets because it has a fixed coinage value. It is that, and that only, which gives it steadiness. Silver would have the same steadiness of price in the markets were it treated as gold is at the mints. Coinage and commodity values would be the same in regard to both metals were the coinage laws applicable to both.

Discarded as silver is in the theory of the friends of the single gold standard, and not-withstanding their efforts to disparage it as a money, still they have not dared to wholly ignore it. Indeed, they are forced by the necessity which confronts them to give silver a large recognition, or it may be more accurate to say a large toleration. Necessity forces its use in fractional coins, and as business grows out of proportion to the increase of gold the necessity for a large use of silver will become more and more pressing.

A money system must be founded on com-

A money system must be founded on common sense—the first feature is to assure amplitude of the money volume. It is not common sense to worship one material as a fetish. Whatever material is necessary to supply the needs of commerce must be employed. It should not be forgotten that money is a tool of commerce, and that law only defines it.

MINING INTERESTS OF SOUTH AFRICA.

Much of the recent development of Africa, especially in the southern part, where the greatest rapidity of development has occurred, is due to the discovery and exploitation of extremely valuable mineral deposits. The most valuable of these are gold and diamonds, though incidentally it may be mentioned that the iron, coal, and other mineral deposits of South and South-east Africa give promise of great value, when wealth-seeking man has time to turn his attention from the gold mines to those which promise less but perhaps equally certain profits.

That the gold and diamond mines of South Africa have been, and still are, wonderfully profitable is beyond question. The Kimberly diamond mines, which are located in British territory, just outside the boundaries of the Orange Free State and about 600 miles from Cape Town, now supply 98 percent of the diamonds of commerce, although their existence was unknown previous to 1867, and the mines have thus been in operation but about thirty years. It is estimated that \$350,000,000 worth of rough diamonds, worth double that sum after cutting, have been produced from the Kimberly Mines since their opening in 1868-69, and this enormous production would have been greatly increased but for the fact that the owners of the various mines in this vicinity formed an agreement by which the annual output was so limited as to

meet but not materially exceed the annual consumption of the world's diamond markets. So plentiful is the supply, and so comparatively inexpensive the work of production that diamond digging in other parts of the world has almost ceased since the South African mines entered the field, and the result is, as stated above, that they now supply 98 per cent of the diamonds of commerce.

Equally wonderful and promising are the great "Witwatersrand" gold fields of South Africa, located in the South African Republic, better known as the "Johannesburg" Mines. The Dutch word, Witwatersrand, means literally "White Water Range," and the strip of territory, a few hundred miles long and a few miles in width, to which it is applied, was but a few years ago considered a nearly worthless ridge, useful only for the pasturage of cattle and sheep, and for even this comparatively valueless. In 1883, however, gold was discovered, and in 1884, the gold production was about \$50,000. It increased with startling rapidity, the production of 1888 being about \$5,000,000; that of 1890, \$10,000,000; 1893, over \$20,000,000; 1895, over \$40,000,000; and 1897 and 1898, about \$55,000,000. Other estimates have been placed higher. This wonderful development has attracted great attention to South Africa, and drawn thither thousands of people in the hope of realizing quick fortunes. Development, however, showed that the mines could only be successfully worked by the use of costly machinery, and while they have been extremely productive where machinery has been used, they are not of such a character as to make hand or placer mining profitable, as was the case in California.

The gold production in the "Rand," since

1884, has been over \$300,000,000; and careful surveys of the field, by the use of drills and other processes of experts, show beyond question that "the gold in sight" probably amounts to \$3,500,000,000, while the large territory, particularly in parts of Rhodesia, give promise of additional supplies, so that it seems probable that South Africa will for many years continue to be, as it now is, the largest gold-producing section in the world. Recent discoveries lead to the belief that these wonderfully rich mines are the longlost "gold of Ophir," from which Solomon obtained his supplies, making a navy of ships in Ezion geber, which is opposite Eloth, on the shore of the Red Sea, in the land of Edom, and Hiram sent in the navy his servants, shipmen that had knowledge of the sea, with the servants of Solomon; and they came to Ophir and fetched from thence gold and brought it to King Solomon."

THE EDWARD P. ALLIS CO.

The past year's business has been the largest hithe history of the Edward P. Allis Company, the largest manufacturers of machinery in the world. So tremendous has been the flood of orders that it found its immense plant entirely inadequate to the demands which were made upon it. It has not only made new extensions and planned others, but during the year it has acquired the works of the Lake Erie Engineering Company, at Buffalo, in order to take care of its overflow. It has built a new shop, 60 by 250 feet, between National Avenue and Pierce Street, Milwaukee, Wis., and will erect a large steel building on Barclay Street. When this is completed, its present force of 2,400 men will be increased to 3,000, besides the 350 men it employs in Buffalo. This is in itself the

nucleus of a good sized city, and Milwaukeeans may well point with pride to this company. It is doing more for that city than probably any other manufactory. It is carrying the name Milwaukee to the farthest corners of the world, and is making it felt as a great motive power. Its engines are driving the principal elevated and surface roads of the world they are pumping the water for many of the principal cities, they are doing the work for mines which every year add millions to the wealth of the world; they are making flour to feed millions of people; their sawmill machinery is making lumber out of the great forests, and in a thousand ways they are doing much to add to the comforts and to place the necessities of life where they are within the reach of all.

The originator and inceptor of this marvelous institution, Edward P. Allis, was a native of Cazenovia, N. Y., at which place he was born, May 12, 1824. He was a graduate at Union College, Schenectady, N. Y. In 1846, he removed to Milwaukee, Wis, where he formed a partnership with William Allen, and conducted a leather store. Subsequently the firm built and operated a large tannery at Two Rivers, Wis,, but the business not being entirely to his taste, Mr. Allis sold his interest in 1854. In 1860, with Mr. C. D. Nash and Mr. McGregor, Mr. Allis purchased the Reliance Works. A few months later he bought his partners' interests and became sole owner and assumed personal supervision, which he continued until his death.

The Reliance Works, when purchased by Mr. Allis, was merely a small shop where machinery was repaired and special work made to order, the annual business amounting in all to not over \$31,000. Within four years of that time, however, under the energetic management of the new owner, the annual business had been increased to \$100,000. After his death, which occurred April 1, 1889, the old Reliance Works was incorporated as the Edward P. Allis Company. the capital stock amounting to \$1,500,000, being owned entirely by the Allis family.

Today the E. P. Allis Company has an actual value of over \$5,000,000 and manufactures a yearly output of between \$4,000,000 and \$5,000,000. The establishment occupies the entire space of five blocks, has a street frontage of 3,400 feet, a total ground area of twenty-eight acres, and floor space of twenty-four acres. There is paid out by the company from \$90,000 to \$100,000 in wages every month, and this amount does not include the salaries of the clerical force nor any of the salaried officers. It is simply what is paid to the mechanics and laborers.

The Edward P. Allis works are credited with turning out the largest and most perfect specimens of machinery in the world, and their manufactures consist of anything from monster engines with a driving capacity of 10,000 horsepower down to those smaller and delicately constructed appliances used in the most modern and up-to date flouring mills of Thus not only is Milwaukee's the country. most magnificent industry represented in the heavily populated commercial centers of our own country, but their wares are to be found in the far-off diamond mines of South Africa, in China, Tasmania, Spain, France, Germany, Russia, England, Mexico, all the countries of South America, Japan and Australia. The company maintains branch offices or agencies in the following places: Chicago, Minneapolis, Denver, San Francisco, Butte, Pittsburg, Mexico City, Chili, Australia, Africa, China, Japan, Russia, Germany, France and England.

KLONDIKE GOLD FIELDS.


(By TAPPAN ADNEY.)

Kloudike (it was then only Yukon) lay for 15 years known only to a small though constantly increasing band of hardy adventurers, who hoped one day to make a fortune, but who were contented if they made a "grub-stake" for the next year. Three to five hundred dollars represented a "grub-stake"; some made considerably more, but few made less. All the gold found was in surface diggings, and if there was any other the frost, which froze the ground to an unknown depth, made it impossible to learn. Thus as early as 1882 a party was camped over the richest part of El Dorado, in a place frosted with surface gold. This

gold that might cling thereto. This fine gold, in which there was also much worthless magnetic black sand and valuable platinum (which the miners either did not recognize, or consider worth saving), was turned into a bucket, along with a spoonful or more of quicksilver, and "jounced" up and down in the river. The miner wore hip rubber boots for that purpose. When all the gold had united with the quicksilver, and amalgam formed, the latter product was placed in a mining pan and carefully "panned" at the water's edge, until all the lighter dirt was washed out, when the mass was placed in a stout cotton-bag and the quicksilver squeezed out for further use. The lump was then placed in a pan over a fire, the heat of which expelled the re-

the head of the claim. The last half dozen boxes of the string are fitted with "riffles," some being crosswise, others lengthwise, into the spaces of which the gold falls. Formerly the fine gold worked clean out of this crude contrivance and was lost.

Forty-Mile was the only stream discovered in which the bed rock came close to the surface, all the others were covered, no one knew to what depth. With the long-handled, California shovel a miner can shovel twelve or thirteen feet. He can shovel once upon a high platform, and thence into the boxes; but it is not profitable to handle the dirt more than twice. So, as the diggings of Bonanza and El Dorado average twenty to thirty feet, it will readily be seen that the Klondike



1. BUILDING A CABIN
2. ROCKING OUT DIRT ON FRENCH HILL

surface gold was as fine as cornmeal, and was secured from the "bars," or low banks of the rivers by means of a "rocker"—a sort of box-like cradle, with a perforated metal top and a blanket set inside at an angle. A shovelful of dirt containing the gold was put into the metal top, water was poured in with a long-handled dipper and at the same time the rocker was put in motion by means of an upright handle nailed to the side of the box. The larger rocks were lifted out by hand, but the residue was carried through by the water, the fine gold clinging to the blanket. After thirty to fifty "rockers" the blanket was taken out, and the "riffles"—a frame with cross pieces which prevents the gold from running out too rapidly—washed down to remove any

3. CLEANING RIFFLES

maining quicksilver, leaving a lump of fine gold, which was placed in a buckskin sack. There were only about two months in midsummer when mining could be done. The sun, rising to 80° in the shade, thawed the ground about a foot a day. But the system changed. In 1886, the first "coarse" gold in the Yukon was discovered on Forty-Mile, which resulted in an abandonment of fine gold diggings. The rocker is retained to this day, and is always used where there is a scarcity of water. In latter operations the finding of "coarse" gold made it possible to employ sluice-boxes. A sluice-box is twelve feet long by a foot wide and about thirty or forty boxes are set upon posts at a certain grade, over the ground to be worked, leading from a dam at

5. FLUME ON BONANZA CREEK
4. PANNING ON EL DORADO

would probably have remained unknown were it not for an accidental circumstance.

Some young men—boys they were called—tried thawing the ground with fire, but they were laughed at. A miner is pre-eminently a man of intelligence and resource, yet strangely slow to grasp an entirely new idea.

Hutchinson was one of the first to try burning. He had been working a bar during the summer, and could not reach some rich ground because of the water in the river. So, when winter set in, he conceived the ingenious plan of digging through the ice over a wide space. He was careful not to dig quite through. As the ice froze deeper day by day over the space he was digging, he reached the gravel bottom, having thus constructed a coffer-dam of



ROCKING OUT GOLD.

ice around him. He placed a fire on the gravel, and took out some gold, but the heat of the fire melted his walls, and the water flooded him out. Next year, however, a miner by the name of "Kink" Miller thought it would be a good thing to "prospect" and fire a shallow claim he intended to work the following summer. After that, when it was seen what fire would do, a few others began to sink deeper holes. The next step, when bed rock had been reached, was to burn along the rock. This is termed "drifting" and only came into general use about three years before the Klondike was discovered. The dirt obtained was hoisted out by means of a crude log windlass, but as it froze again immediately upon reaching the air, it was laid aside until spring, when the sun thawed out the heap, or "dump." It was then shoveled into sluice-boxes. A result of the new discovery was the dividing of the diggings, according to their depth, into "summer diggings" and "winter diggings." Summer work is much

less expensive than winter work, and the diggings at Forty-Mile and elsewhere in American territory are mostly summer dggings. At Klondike there is a much larger proportion of winter diggings. The American mines do not yet show the concentrated richness of the Klondike and so perhaps may never startle the world with "show" pans; but the most careful observers (such as Mr. Sam Dunham — the United States Labor Statistican) believe that the mines in our own country will prove of more economic value to the country at large than the somewhat richer but more expensive mines of Klondike.

The hardships of the Yukon are in one sense over-estimated. The long, dark, cold nights of winter, when the mercury drops to nearly sixty below zero, are wearing in the extreme, and homesickness is the most seri-ous malady. The chief hardships are mere discomforts, to which a person becomes accustomed. March is the pleasantest month. Then there are as many hours of sunlight as in the Northern United States. In June the sun dips a few hours behind the mountain, and it is broad daylight at midnight. Even the birds, which make the woods and hillsides resound with their songs, sleep during the heat of the day and hunt and sing at night. To avoid the glare, tents are frequently made of dark blue denim. The miners work double shifts on the claims. There are hardly more than seventy days when water does not freeze. There is no night in Dawson during midsummer, and until saloons were closed on Sunday there was no Sunday either.

Until the past summer the social life of the mining camp centered in the saloon, and this was particularly true in winter. The saloons of a mining camp bave no counterpart in the East, and the Yukon saloons have none anywhere. They contain a bar where whiskey and cigars are sold at half a dollar each; but there is also a barrel of clear, pure drinking water at the end of the bar, or to one corner, with a dipper on a nail—weicome to all. There might be tables covered with old, muchworn newspapers, and under the same roof, generally separated by a partition, elaborate gambling layouts, and perhaps a theatre and dance-hall.

Los Angeles Exposition.

The Industrial, Mining and Citrus Exposition will be opened in Los Angeles February 19th, continuing to March 10th, inclusive,



A CARRIER BOG.

and will be held under the auspices of the Merchants' and Manufacturers' Association. The exposition will be divided into three parts: the industrial, containing the manufactured products; the mining exhibit, showing the different ores found in Southern California, Arizona and New Mexico; and the citrus exhibit, containing a very instructive and practical illustration of the orange industry, from planting trees to packing oranges. In connection with the latter exhibit, a thorough display will be made of the insect pest, loaned for that purpose by the County Horticultural Commissioners of Los Angeles.

It is also proposed to have a perfect representation of a mine with drift over six feet high, with ore cars and cages, showing shafts and drifts where people may become familiar with the actual operation of the mines.

The industrial exhibit will embrace not only the articles manufactured in Southern California, but many attractive and interesting displays of works of art pertaining to educational advantages of this section.

An extensive program of novel and unique entertainment has also been prepared.





WORKING A BENCH CLAIM WITH SLUICE BONES

THE BLACK MOUNTAIN COAL FIELD

By P. H. HRADD

This coal field is located in Kern county about 36 miles north-east of Mojave and about 15 miles north-west of Randsburg, in the sandstone formation which forms the base

so easy to determine boundarys, especially of the coal on account of many evidences of it having been destroyed by volcanic action. Even the peak of Black mountain itself is the crater of an immense Volcano and is capped with more than 200 feet of loose and solid lava and down the sides for perhaps 1500 feet

was about two inches thick, showing clearly that it was coal and burning on a red hot stove. About 400 feet further on I sunk 16 feet and struck the coal seven inches thick, but of very poor quality and colored red by its near proximity to the surface and to the water coming from iron ledges in the Goler mountains. However, I drifted on this until it be-


came a twelve vein, then I skipped two hundred feet and sunk again, this time reaching the first vein fifty feet. This vein is about four feet wide, but only from eleven to eighteen inches of solid coal, the balance being coal, dirt, etc., mixed. This should however turn to solid coal at a few hundred feet further into the mountain.

I have followed this vein about sixty feet and find more coal in the broken coal matter above the solid coal. Leaving this vein I sunk on down twenty feet more and reached a vein of forty-two inches of coal and coal matter.

About twenty-one inches strips, divided by three

being pure coal, but in four strips of coal, dirt, etc., mixed. This second vein contains a better quality of coal than the vein above, and also contains more of the rings or disks, which I discribed and the JOURNAL kindly illustrated, in a former letter. August 15th, 1899

I have not yet reached the third vein, but have reached the depth of 85 feet. The next vein will be the one I struck at 15 feet, discribed in the first shaft and should be according to the rule (the departure of the angles of the roof and floor,) forty eight inches of



CROSS SECTION BLACK MOUNTAIN, GARLOCK, CAL.

of Black Mountain or El Paso Peak. This sandstone is recorded in the history of our California geology as the oldest sandstone in the state, which so far as I have seen certainly is. This sandstone has at some past age been formed in the bottom of a sea, of which the goler range of mountains was the south

The coal was caused by immense beds of mud in the bottom of this sea almost at its first beginning and this mud may have been made in any of several different ways. It


may have been made by beds of roots or Peet, by a vast Lake of reeds and bull rushes, or by immense washes of leaves, sticks, grasses and other vege-tation, and afterwards covered by drifts of sandwash. The latter would appear to be the origin of the coal, judging from the fossil leaves plainly visible in the soapstone under, and the fire clay over each vein of coal.

This lake shore laying as it does against the north side of the Goler mountains exposes the coal, in places, where the great weight of the sandstone above it, has pinched or pressed it up on the old shore. In this way I have been enabled to discover the rim line of 1600 acres. The coal veins or layers underlie many thousand acres back of this towards and beyond the Black mountain, but the down pitch of the sand stone (between which the coal lays) is so great, and the mountain rises so rapidly, that it is unlikely that the coal will ever be reached except through the land now taken, along the south rim or edge. The cut showing a cross section of the Goler mountains and the Black mountains will make the situation

more plain.

Looking east, with the Goler mountains to the south and the Sierra Nevadas' to the north; the ancient sea (now sand stone) containing Black mountain, would be about 20 miles in diameter, while east and west it is not from the crater, the volcanic ash and mud is forced through, between the layers of sand stone horizontally, often displacing and tilting it in different directions. How far from the crater, the coal beds would be affected by the fire can only be a matter of conjecture, except, that there would undoubtedly be a vast body of natural coke between the good coal and that which is destroyed by beat.

In prospecting for the coal I have sunk shafts and drifted, aggregating perhaps 1500 feet, proving beyond a doubt in my own mind,



COAL VEIN IN HEALDS MINE AT GARLOCK, CAL.

or to any good western coal expert that there are three veins of coal underlying this basin.

Commencing at the south rim within a few feet of the country rock composing these mountains, at the last discovery I found a small streak of coal not more than 58 of an inch in thickness. This I followed until it


solid coal and of an excellent variety. The solid coal and of an excellent variety. The coal has been used in considerable amounts at Garlock and Randsburg for domestic purposes and answers very well even at this short distance from the rim or its extreme limit. The second vein makes an excellent steam coal and both do remarkably well in a forge for sharpening or even welding tools. It is not, however, Blacksmith coal and for that business makes entirely too much blaze for comfort.

Enough has been done to prove the excellence of the coal and that farther in there must be large bodies of it. When the beds are opened properly the territory of their market will be half of the Pacific coast and half of the Pacific cape the great railroads reaching the coast, all the vast machinery which is and will be crushing our ores, and all the mighty smelters, which are soon to be planted in every direction through the mountains and deserts, for the coal can be made

shells are stuck together with carbonate of lime and mud. Coquina, too, may be coarse or fine, even when the shells are so small as to be almost indistinguishable. It is all carbonate of lime, either limestones built up by animals or the remains of their hard parts. The very coral reefs, such as are found in a few places, notably in Bermuda, Spitzbergen and in China, would indicate that either the animals that formed them were more hardy than those which at present build up the corals and which can only live between 25 degrees north and south lattitude and the equator, or that the warmer waters extended much farther to the north, at least as far as to 80 degrees north lattitude." The professor inclined to favor the

Lebanon and Lancaster and the Cumberland Valleys. Thus in our nearest neighborhood, and as a part of the City of Philadelphia, we have not only some of the youngest in these limestones. When compacted and crystallized these rocks form our native marbles, extending from this vicinity into Tennessee.

The solubility of limestone in water gives us other forms, which we call deuterogenous. The original limestone rocks are ontogenous. The alabastros of Egypt have been once dissolved limestone. Mexican onyx is not an onyx at all, but merely a form of deuteroneous deposit. Every one is familiar with the stalactites and stalagmites of the caves found in all limestone regions. These caves them-



A Study of Limestone.

"There is not enough lime in the ocean waters of to-day", said Prof. Heilprin some years ago, "to furnish the material we find so abundantly laid down in the limestone rocks, the organic limestones we see about us. From this we must conclude that other oceanic conditions once existed. The organic limestones are made up by the marine animals, whose hard parts or housebuilding survive in these great masses of rocks. The fresh water and land animals also play their part, such as mussels and snails. No difference can be distinguished between limestones which may have been separated in time of formation by millions of years. These remains are familiar to many of us in the coquina rocks of Florida and in the ordinary oyster shell reef, where the coarse

view that the ancient coral builders were a

hardier race.

"The floor of the ocean is a whitish gray mud called ooze", he continued, "which may exist at a depth of 500 feet or 15,000 feet. It will make in time rocks, like the chalk pits of England and France, a globigerenous ooze, so called from the globular creature, the globigerina, which makes in dying, these deposits."

"When limestone has been formed into

"When limestone has been formed into crystals it become marble, such as the marbles a few miles from this city. The dull-looking limestone rocks, which do not glisten when they are broken are comparatively recent. They form the great valley which extends from Newburgh on the Hudson, away down to Georgia, known hereabouts as the White Marsh as Chester Valley; farther away the

selves have been washed out by the seas which formerly were on the frontier. The land waters percolating through the lime into the caves form the beautiful deuterogenous materials which we know under various names, and form a crust. It is from flowing water, lime bearing streams, such as the Etruscan Spring of Carlsbad, in Bavaria, that these deposits are made. Into this water numerous objects are suspended to become incrusted and solid as bric a-brac.

With the carbonate of lime in these rocks we have been discussing is sometimes associated the carbonate of magnesia, which forms the rocks known as the dolomites. The Swiss Alps are made up of gneisses, shales and schists, but the Alps of Dalmatia are dolomites. The peculiarities of these last rocks is

their jagged and peaked appearance. The dolomites give us the statuary marble and the beautiful pearlspar. Our near limestones, in the vicinity of Philadelphia, are the same that stretch up trough New England and almost to the artic circle, certainly to Newfoundland. They give no evidence of ever having been covered by the ocean. Some limestones in New York and New Jersey do contain fos-sils, but those in our neighborhood are searched in vain. All these are recent rocks, built up by organized bodies.

Limestone regions contain, as well a scover, the depressions known as "sinks", where the rock has been hollowed out by the action of water. Florida is full of sinks. Old coral reefs are peculiar; later Bermuda perched up or what is probably an old volcano, built up on something, certainly. There is also in the heart of Russia a great buttress, from 1500 to 2000 feet high, and one in the heart of Austria. Old coral reefs form an ocean long extinct.

THE METALLURGY OF GOLD.

BY L. J. STABLER. (Continued from our issue of Jan. 15th, 1900.)
THE CYANIDE PROCESS.

The practical value of this process has been verified by the erection and operation of some fifty mills, with a mouthly capacity of 50,000 tous of tailings, concentrates and ore from which is extracted one half million dollars of gold each month, which is added to the

world's available gold reserve.

The leaching with weak cyanide solutions is applicable to free milling ores and to all refractory ores, containing only a small quantity of soluble acid compounds. Highly silicious and basic ores give high degrees of extraction with cyanide treatment, but to determine the adaptibility of an acidic or pyritiferous ore to the treatment requires an experimental investigation, before an opinion can be given. Tailings, containing "floured quick" yield up their value to the potassium cyanide during treatment. The quicksilver amalgam, that is sometimes found in tailings, is mechanically collected while discharging the pulp from the vats. The gold and silver are recovered from amalgam by distillation.

The appliances for treating ores, tailings and concentrates are of great variety, both in size and design, the general principle in all of them being the same. The objects which they have to fulfill consist briefly in:

(1) Lixivation of the ore tailings, or con-centrates with weak solution of cyanide of potassium, for the purpose of dissolving gold.
(2) Treatment of the solution to precipi-

tate the dissolved gold in the metallic form.

The ore is crushed to the degree of fine ness that has been found to give the highest degree of extraction. It is placed in the leaching vats for treatment. The size of the vats is only restricted by the amount of ore to be handled. Large vats are more economical than a number of small ones equal to the same capacity. These vats are constructed from brick and cement or concrete and timber. Whatever be the material of the vats, they must be constructed with a false or filter bottom. In small vats this is of "duck" resting on a wooden grating, in large ones it is of canvas burlap or cocoanut matting, supported on wooden filter slats. The vats are filled with ore and the cyanide solution, of proper strength, is added until the ore is covered. The time of treatment depends on the ore, lasting from 24 hours to 20 days. The percolation is continued so long as the solu-tion shows a profitable extraction.

The cyanide solution containing the gold

is next passed through a series of vessels containing zinc shavings. The gold is precipitated by the zinc in the metallic form. In order to effect a cleau-up, the cyanide solution is shut off from the precipitating boxes, and a stream of clear water is passed through them. The zinc shavings are shaken so as to detach as much of the gold slime as possible, and cause it to collect in the space under the false bottom. The gold is removed and the zinc compartment is refilled with zinc shavings. The fine slimes which have been collected from the various compartments are dried, calcined, flued and run into bars of base bullion, which is shipped to the mint.

PRACTICAL CONDUCT OF THE PROCESS.

In considering the treatment required for any given crushed ore or tailings, the following points have to be observed:

(i) Is the gold it contains coarse or fine? Is the material acid or neutral?

What metals, with a strong affinity for cyanogen, does the material contain?

The degree of coarseness of the gold determines in a large measure the length of time required in contact with the cyanide solution for dissolution. In pyritic concentrates a long time is required for solution of the gold. The gold is generally coarse and present in large quantity. It requires time for the solution to penetrate between the laminæ of the pyrites crystals. The small quantity of solution which can penetrate such interstices will be held by capillarity, under these conditions diffusion will naturally be slow.

By "acidity" of the ore is understood the product resulting from the partial oxidation of the pyrites. These products consist chiefly of free sulphuric acid, soluble me allic salts. These products are destructive to cyanide, forming with it compounds useless in the ex-

traction of gold.

There are certain compounds found in gold ores, such as copper glance, that consume a large quantity of cyanide. In many cases, a very weak solution of potassium cyanide seems to exert a peculiarly selective action upon the gold in this class of ore. The "acidic" tailings in many cases can

be worked by neutralizing with an alkali, or alkaline earth, before treating with cyanide.

NOTES ON THE CHEMISTRY OF THE PROCESS. Elsiuer's equation for the dissolution of gold by cyanide of potassium is the one gen-

erally accepted:

2 Ån 4 K Cy O H2 O=2 An K Cy 2 K O H. According to the above formula, an atom of oxygen is required in the reaction. Several investigators have experimented upon adding oxydizing agents to the filter vats. With some ores the oxygen-yielding compounds give a higher degree of extraction. In most cases the oxygen of the atmosphere is sufficient to supply the amount required.

The reaction which takes place when hydrocyanic acid dissolves the gold from said tailings may be represented by the equation:

2 An 8 H Cy 3 O=2 An (H Cy)⁴ 3 H² O. The gold in this compound is very imperfectly precipitated by zinc. If caustic soda or potash is added precipitation is produced.

In theory, the precipitation of gold from

anro potassic cyanide is as follows:

2 An K Cy² Zn—Zn K² Cy⁴ 2 An.

The precipitation is more rapid in the presence of an excess of potassium cyanide, for electro chemical reasons.

CHLORINATION PROCESS.

One of the first steps in the process is the roasting of the ore. A mixture of the sulphides of iron, copper, lead and zinc will ab-

sorb a large quantity of chlorine. . The gold would not be acted upon until the other met als present were satisfied with chlorine. To prevent the large absorption of chlorine gas, the ore is roasted to expel sulphur, arsenic and antimony. The metals are changed to oxide. This is done in large, heated furnaces, through which a current of air is passing. If the oxides of copper, calcium or magnesium are present, salt is added in roasting so as to satisfy these metals with chloripe. From the furnace the ore is sent to the cooling floor, where it is allowed to cool.

The chlorinating plant consists of a chlori-

nating barrel, filters, storage tanks, precipitating tanks and settling tanks.

The chlorinating barrel is a lead-lined cylinder, provided with suitable journals and driving pulleys, and with a charging door and test valve. It should make about fifteen revolutions a minute. Before charging with roasted ore sufficient water is put in the chlorinating barrel to make an easy flowing pulp. From 100 to 125 gallons will do for a ton of ore. A sufficient quantity of chloride of lime and sulphuric acid is added to convert all the base metals as well as the gold into chlorides. The charging door is closed and the barrel rotated four to six hours.

By means of the test valve the existence of free chlorine is ascertained, and if free chlorine is present, the ore is thrown direct on the filter and leached until all the chloride of gold

is removed from the pulp.

The filters have their bottom covered with perforated glass tile; on this rests a graded filter bed topped off with clean river sand.

The solution from the filters is stored in tanks. From the storage tanks the solution passes into the precipitating tanks where it is treated with fenous sulphate, the gold is precipitated as metallic gold and settles to the bottom of the tank. The gold is collected and washed free from iron salts, dried and melted with soda and borax in graphite crucibles into bullion.

ELECTRO CHEMICAL TREATMENT OF ORES. The experiments described in this paper were undertaken to show the efficiency of electro chemical processes for extracting gold and silver from rebellious ores and tailings. There are many conflicting opinions and very little literature upon the subject that is

founded upon experimental data. The experiments were made in a rotating barrel. The barrel is lined on the inside with an amalgamated copper plate. This plate is connected with the negative pole of the Edison cells and forms the cathode in the barrel. All around inside of this and close to it, there is placed a row of iron blades. These blades are separated some distance apart so that the ore can pass freely between them and come in contact with the amalgamated plate. The blades are insulated from the barrel and are connected with the positive pole of battery.

Any free gold in the ore comes in contact with the amalgamated plate and is retained by it. The ore comes freely in contact with the anode and the solvent used becomes very active under the influence of the electric current. The gold and silver that goes into solution is at once deposited on the amalgam-ated plate and the solvent is free to dissolve

more of the precious metal. Sodium chloride may be added to reduce the resistance or increase the conductivity. When the liquid contains only sodium chloride ore to ten percent, the primary decomposition will be sodium and chlorine. The sodium is liberated at the cathode, under the mercury, and forms sodium amalgam, when

the current ceases this amalgam acts on the water, forming sodium hydroxide and liberat-ing hydrogen. The chlorine that is liberated at the anode is taken up by the solution and neutralized by the sodium hydroxide at the cathode, forming sodium chloride and sodium hypochlorite. The sodium hypochlorite acts on the potassium cyanide present oxidizing it into cyanate, a salt easily decomposed and useless as a solvent.

Small quantities of sodium are often added to mercury to prevent flouring in these exper-iments; it is provided electrolytically. The surface of the mercury being strongly polar-ired by both the electric current and the sodium, the particles of float gold and silver will be readily seized by the mercury when they approach the surface. The surface tension is altered by the difference in electrical potential between the surface mercury and the liquid, and this helps the particles to come into actual contact with the mercury. This is what happens when flouring is pre-vented and a metallic contact with mercury takes place.

NOTES ON YMIR MINE AND ITS MILL PRACTICES.

BY S. S. FOWLER, S. D., NELSON, B. C.

Subsequently to the deposition of the ore of both these bodies, the dykes were intruded and the fractures which rendered their presence possible seem to have been followed by movements more or less in the direction of the plane of the vein and in parts, along both walls, with the result that other fissures were formed, some extending for some distance into the footwall country, diagonally to the strike of the vein, and others along the hanging wall. These last fissures are filled with a very nearly barren white quartz, carrying at times sharply angular fragments of slate.

The later movements have also created fractures in the ore body, along one of which at least, where there is a local concentration of galena, oxidizing action has been going on with the result of producing a band of "car-bonate" affording fine specimens of Cerussite and a local but marked increase in the gold values, the gold being largely free but invisible except after careful panning.

Another effect of these movements is the faulting and the fracturing of the dykes, and their their movements to alteration. This

their being more subject to alteration. This faulting movement is in the direction of the plane of the vein, but nowhere has it been extensive, i. e., not more than 3 or 4 feet. The material alone the plane is usually so soft as to make it difficult to get specimens showing striation, still we have one from the hanging wall with two distinct series of striæ.

Stoping has not yet proceeded far enough to enable us to know all we desire of the structural features of the vein, but before leaving this part of our subject, I may cite an interesting freak of the larger of the two main dikes we have met with. In the No. 2 level, a four foot dike comes squarely up to the foot wall, where it turns a right angle to the foot wall, where it turns a right larger to the left along the wall, and so continues, gradually curving to the right for 20 feet where it crossed the drift squarely. Going through the dike we found slate, and cross-cutting on the other side of the dike, we found it suddenly turning again and butting against a fault fissure, nearly filled with two feet of calcite. Just how or where the dike proceeds into the hanging wall we do not yet know, nor is it specially important. The main point to be observed is that our failure to closely examine what we presumed to be

the footwall rock led us astray, and into an expense which was useless at the time except to reveal an interesting structure.

We have not yet developed any special mining system at the Ymir, nor have so far encountered the necessity of any, for the first stoping was done only in March last, and since the first of June our mill has been principally employed in haudling an accumulation of several thousand tons on dumps.

However, the fact that much of the ore body is too wide for stulls, and that good mining timbers are scarce, together with the presence of what will probably prove to be a not too strong hanging wall, will undoubt-edly necessitate a system of combined crib work, filled with waste and square setting.

The mine produces two general classes of ore; first, mill stuff; second, crude ore. The former is sent directly to mill by a Hallidie ropeway, about 2,400 feet in length from the mouth of No. 3 tunnel, i. c., the lowest which has exit to the surface. The second general class consists of two sub-classes—crude gal-ena and oxidized ore or carbonate. Both of these are small in amount compared to the milling ore, and they are shipped directly to the Hall Mines smelter at Nelson, the crude ore in bulk and the carbonate in sacks. Milling material on reaching a bin at the lower tramway terminal passes through a No. 3 Gates Crusher, which reduces the coarsest to pass about a 2-tuch ring. Below the crusher is a 200-ton bin from which the feed passes by a tram car, after being weighed into the battery bins proper. The crusher and tram terminal are in a separate building, but the cost of tramming is a very small item.

The mill proper embraces a 40-stamp 850 lbs. battery, arranged in four sets of ten stamps each, eight silvered copper plates, 56 inches by 12 feet, four sets of 4-cone classifiers, and 6-foot Frue vanners. This plant is driven by water with a 6-feet Pelton wheel, under 415 feet net head, the crusher being separately driven by a 24-inch motor, under 320 feet head. The stamps make from 96 to 102, 6½ inch drops per minute, and with an average issue of 7 inches, crush a little over a 100 tons per diem through No. 9 diagonal slot screens, i. c. slightly over 21/2 tons per day per stamp.

We have found a tendency toward banking of the pulp at each end of the mortar, to avoid which we give the first and fifth stamps about 1 1/2 inch greater drop. I may also say that we intend trying the method of the introduction of feed water advocated by Mr. Bernald M. Donald, which formed the subject of an interesting paper read before the Canadian

Institute Mining Engineers.

In operation we employ one inside plate, and on it accumulate about 40 per cent of our gold. The outside plates slope two inches in a foot, and on the upper 24 inches of their length we gather about 80 per cent of the recovered free gold which passes the screens. The lower part of the plate, (10 feet) we find to be very valuable, and it passes an extremely small amount only of free gold. An interesting feature of the operation of the lower part of the plate is that the amalgam on that portion is very much higher in silver than that gathered elsewhere, and proportionately lower in gold.

Zinc blende and pyrite cause us no trouble in keeping the plates clean, but the ex-tremely small size of the galena particles, together with their gravity causes them to catch in the minute depressions of the amulgam and gradually to cover the latter. For this reason our plates are dressed every six hours, and thus we are able to keep them in excellent condition This result we consider good work in view of the fact that our concentrates amount to 6.2 per cent of the mill feed, and contain over 14 per cent lead and

The bullion produced averages about .58 gold, 40 silver, .02 per cent. base, showing practically no amalgamation of lead, but the

Presence of a considerable amount of silver.

Without disclosing the gold tenure of our tailings, I may say that they are most satisfactory, and in fact are remarkably low when we consider the apparent baseness of the ore.

Of the total gold and silver recovered, we find in the bullion 82 per cent of the gold, 27

per cent of the silver, and in concentrates 18 per cent of gold and 73 per cent of silver.

The ore, thus far, has shown itself quite free from acids and from arsenic, antimony and tellurium, a fact which is partially reflected in the grant learned and some acids and selected in the grant learned acids. flected in the very low consumption of quick silver, viz., about two tenths of one ounce

avoirdupois per ton crushed

Other properties in the vicinity of the Ymir other properties in the vicinity of the Ymir are not yet sufficiently developed to show whether this mine is exceptional in its size or the character of its ore, but it seems highly probable that the success which seems in store for it will have much to do toward bringing the Salmon River country into

GEOLOGY OF THE COCHITI.

(Continued from our issue of Jan 15, 1990.)

It is not to be supposed that the mineral deposition was necessarily contemporareous with any disturbance, though great mineralization and great disturbance go hand in hand; without faults, fissures and contortions, mineral is usually absent.

The fissures were formed and filled at some earlier period, perhaps archaean, metamorphic, sedimentary and previous to the introduction of the intrusive porphyries, as these do not interfere with the continuity of the veins. The denudation was long continued and occurred primarily in an enclosed area of water, evidences of which we find in the rounded pumiceous pebbles now to be seen in numerous places in close proximity to the mineral veins. As the pebbles will float in water, it also shows that the end came suddenly, or they would have been carried away by the receding waters. Another point to be gained from this is that it seems probable that very little erosion took place after the washing away of the great bulk of the tufa, nothing more than the ordinary atmospheric wear and tear.

It is impossible to speak with confident exactness as to the age of the different erupfracture examined and commented upon in this paper. The age is undoubtedly postcoretaceous, probably tertiary as the lavas of nearly identical basic character are seemingly coming from vertical depths, through, and capping the cretaceous formation. At the Abiquin end it has the appearance of a great dike running thorough the country. the lava is more dense and is said to carry a the lava is more deuse and is said to carry a little silver; at the Albuquerque end, I am reliably informed that it carries, or there is in its vicinity, a little gold.

The elevation of the extreme points is not seriously different, and eventually they may be proved to be gold bearing.

In the Jemez Range of mountains, of which the Cochiti Range is relatively a part, the pumiceous tuff was erupted during or at

the close of the jura-trian period. We find there in as clear order a base or central axis of red granite, carboniferous limestone, permian and jura-trias red and white sandstones, and variegated shales with the superincum-

bent pumiceous tuff.

In the Cochiti mineral district, gneiss, an acid rock, and diorite, and older eruptive basic rock, varying in color from light to dark green, occupy the place of the granite. The limestones and sandstones are totally absent, but as stated before the pumiceous tuff caps the older metamorphic rocks, and the proximity of and connection with the Jemez Range, certainly leads us to suppose in the absence of the sedimentary pointers that the two ranges are of the same age, and hence that they are jura-trias or pre-cretaceous.

The Cochiti District has a perfect and beautiful system of veins and spurs all leading to and apparently uniting with a mother vein.

It is at the intersections of the spurs with the mother vein, and other points where there was the least obstruction to the escaping and ascending waters, that we may expect to find the more valuable mineral.

The veins have all the characteristics of true fissures, irregularity in that they sometimes pinch down to a mere seam and again widen out, sometimes a filling of wet mud and broken quartz good ore above and probably below. The foot wall is usually smooth,

the hanging wall uneven.

As to permanency in depth, a recent authority states: "It is generally conceded now, that fissures are, comparatively speaksurface phenomena, and that below a certain depth, where plasticity and flow of rocks under pressure come into play, open spaces cannot exist. This limit Prof. Helm, for instance, places at 16,000 feet, while Prof. Van Hise, basing his consideration on the strength of rocks, arrives at 33,000 feet as the maximum limit for hard rocks in which fissures can exist. Even the lowest of these estimates far exceeds the depth of practical mining. In considering the probable permanence of a given vein, its general character must be taken into consideration. Continuous, well-defined outcrops, and wide bodies of quartz are in general, good indications of the maintenance in depth, as is also any evidence of strong faulting and movement. Some quite extensive veins, though, have relatively short outcrops."

Cochiti, the center, was probably at some period lower in altitude than the ends and was covered by an inland sea or lake or as previously remarked, it may have been the bed of an ancient Rio Grande. How apt the quotation, "Every valley shall be exalted and every mountain and hill shall be made low."

The fissures as we now find them were or had been formed of quartz. Porphyry became the vein matter, being probably an al-tered country rock, that is, metamorphosed sedimentary and not due in any sense to extraneous sources. This large area was afterwards occupied by the wet volcanic tuff or tufa, the course of the river changed; and the bed of the lake partly filled.

The water was hot silicated, chlorinated and carbonated, i.e. a chemically changed water.

The intrusive porphyries then begin to appear gradually lifting up and draining the inland sea, breaking up the great mass of

tufa, and erosion takes place.

Descending chemically charged hot waters permeating the whole country, are still fur-ther heated, and their valuable load increases in their downward leaching passage, until they strike a point where pressure has made

the rocks impervious, or heat has caused it to seek points of lesser resistance; i. c., fissure veins, to return at lower level to the surface.

The water in its passage upward to the surface decomposing and displacing the soda feldspar of the quartz porphyry and refilling the cavities by substitution and concentration from its burden of the precious metals. This is called the metasomatic theory and applies to many deposits both primary and secondary.

The small percentage of iron and the nearly total absence of copper, lead, zinc, etc., in the Cochiti ore, rather tends to prove that they had their origin in acid rocks. the same time there must have been other influences at work giving some veins a greater proportion of gold than others. Who can say that our transmuters of silver and other baser metals into gold under various conditions of heat, pressure, etc., are mistaken? A similar influence may have been at work here.

From the southern end of the Cochiti country nearly to the Chama River and onward this great and persistent fault fissure can be followed and recognized with very little exertion. It is so plain that he who runs may I do not pretend to say that it is mineralized everywhere. That would be expecting too much. Like all other mineral countries it has its pay and barren shoots.

The only economically valuable mineralization that I know of at present is in Pino,

Colla and Peralta Canyons.

PIERCE COUNTY MINES.

(Begun in our issue of Jan. 18t 1900.) NO WORK IN TAHOMA DISTRICT.

"The Tahoma Mining district we did not visit as no work is being done there at this time. A new trail is being built from Fairfax to the Ironclad group of mines, belonging to the Washington Co-operative Mining syndicate, which, when completed, will be fifteen miles long. It is now within one and onehalf miles of the mines and will be completed in the spring. A half way station has been

constructed at the headwaters of Voight creek. "We are informed by those interested in the district that the veins are contacts be-tween porphyry and diorite, the ore being a chalcopyrite with calcite gangue, being from four to six feet wide on the outcrop and hav-

ing been traced for 1,000 feet.

One hundred feet of tunnel has been driven on the 'Tacoma vein', which is situated one-half mile above the Ironclad on the Mowich river, discharging good solid ore the entire distance, which assays Copper, 33.50 per cent; silver, 9 oz.; gold, .05 oz. Total \$120 per ton.

SIMILAR TO CARBON RIVER. "It is similar to the Carbon river ore except horn-blend is absent. The outcrop on the Ironclad carries 17 per cent copper and some gold and silver, giving a total value of \$65 per ton. There are about fifty tons of on the dumps. It is calculated to have these mines operated the coming summer and the ore shipped to Tacoma via Fairfax

"Locations in Tahoma district are: Tacoma, Tacoma Extension, Niger, Gyp, Gyp Extension, Concentrate, Mowich, Ironclad, Hope, Wild Cat, Snow Shoe, Ironclad Extension.
"The Glacier basin has about fifty claims,

but we were not able to get the names.

REPORT OF C. C. SNOW.

"'Mr. Phil. Reese and Mr. G. B. Monty, special committee, Chamber of Commerce and Board of Trade, to report on Carbon River and Tahoma Mining districts, city. Gentlemen:

"In compliance with your request, I here-

with submit from a practical miner's standpoint the result of my examination of the Carbon River District, made in Sept., 1899.

"The country formation in the district is granite, porphyry, porphyroritic granite and some blue and yellow quartzite.

"'The veins are found in the granite formation and are true fissure veins, which show they increase in value and width as depth is obtained. The work which has been done since I was there proves the above statement beyond a doubt.

"The veins are readily traced on the sur face by outcrops and the granite impregnated with hornblend. The hornblend in this district carries copper, and runs to copper, does in only a few camps in the United States and quite often you find quartzite running with, or close to the vein.

NO TROUBLE TO FOLLOW VEINS.

"The formation is such that I have no doubt there will be no trouble in following the veins of ore to great depth, after getting

below the surface a short distance.
"I found in several places small lakes, which at one time were craters, and the numerous veins running through the district radiate from these lakes or craters, showing that at one time there have been great eruptions, causing great fissures through the formation, which were filled at that time with ores by a chemical process best known by the Creator.

"The facilities for working the veins are as good as a miner could wish for, for on al-most every claim located there is a show to open the veins with tunnels running with the ore on the veins. There are numerous cross veins which can be drifted and developed from

the working tunnels.

"In nearly every instance the tunnels would gain depth very fast, giving a great amount of ore to be stoped out. Of course, the longer the tunnel the faster the amount

of ore would figure up. "Water power is in abundance for any and all kinds of machinery for mining and and milling; also for electric railroads to transport ores or matte. The mines are very accessible being only eight miles from Fairfax railroad connection, at which point there are very fine coal mines, the coal being a coking variety and coke being made.

FAIRFAX THE CENTER.

"'As I see it, Fairfax is the central distributing point for the district, and is a very desirous point to build plants for reducing the ores of the camp.

"Water power can be had at Fairfax as well as at the mines for running electric roads, or a plant could be located at each end.
"Taking into consideration the formation

of veins of high grade ores the facilities and accessibility of the Carbon River Mining district its, future is assured.

"The Washington Co-operative Mining syndicate, with their many valuable locations, some of which are now almost ready to be classed among producing mines, as well as others who are developing their mines steadily, with flattering showings, are worthy of every encouragement.

"I claim that ere long, if properly managed, they will be among the leading producing and dividend paying mines of Washington.

"The ores of the camp are generally chalcopyrite, assaying from 10 to 35 per cent copper and carrying from one to three hundred dollars in gold and from five to three hundred ounces of silver per ton, and are practically self-fluxing.'
C. C. Snow." self-fluxing.' MR. CONE'S OPINION.

" 'Mr. Phil Reese and Mr. G. B. Monty, spec-

ial committee Tacoma Chamber of Commerce to report on Carbon River District: "Gentlemen:—In reply to yours of the 5th inst., will say: I spent the months of June, July, August, September and October in the field adjacent to and tributary to the Carbon river, in Carbon River mining district, prospecting and visiting properties in the district.

" Passing my opinion, after twenty years' experience at the same kind of work in California, Utah, Nevada and Arizona, I have no hesitation in saying that for the amount of prospecting and developing that has been done up to this time, I have never visited a more promising district, and I believe that every effort possible should be made to keep the eyes of the public open to the facts, and to create a general interest in the welfare and development of the camps.

"To give you a full and detailed account of all the prospects I visited, their characteristics and peculiarities, would be tedious and of no particular interest to you, I believe; so I will just make a brief mention of the different localities, what has been done and what

has been shown.

WHERE MINERAL BELT IS.

" 'After leaving Fairfax one sees very little sign of mineral for the first three miles. At Nicholson's rauch, however, there begins to be considerable outcrop of porphyry and other mineral indications. Mr. Wilkins, superintendent of the Leola Mining company, has acquired several claims on this belt. Continuing on up the Carbon river on the north side there is more or less indications of mineral. and many locations, but no prospecting has been done for three or four miles till we come to the Irish brothers and Grayson group of claims. The Washington Co-operative Mining syndicate's trail passes through this group of eight claims. This group is located on three distinct parallel veins, two of which I visited, each showing from two to five feet of ore on the outcrop of veins. About forty feet of a crosscut tunnel has been run for the vein but it had not been reached at the time I visited the group.

"'Adjoining this group is a group of twelve claims belonging to the Leola Mining company presumed to be located on the same vein as the Irish brothers' and Grayson group; this

group I did not visit.

CANADA CREEK BASIN.

"The next couple of miles brings one to the Canada creek basin, of which much has been said by more able men than myself. Here is located the Sunrise, Clipper, Sunnyside, Summit, London, East Lake, Margaret, O. K. and many others worthy of mention on both sides of Canada creek. I can best describe this basin as one vast field of granite traversed by a myriad of iron, copper and quartz veins, ranging in size from a few inches to many feet, and ore outcroppings on the surface that carried from two to thirty per cent copper with some gold and silver. case on the many claims I saw each days work, or every foot of opening made, improved the looks as well as value of mineral.

"'Leaving the upper Canada creek country and crossing the ridge south, one comes into the Chenuis creek, which is paralell to Canada creek and empties into the Carbon river, and is known to many as the source of one of Tacoma's defunct water works schemes. This part of the country has been but little prospected, the Buckley Mining & Development company being the only people interested in this section. They have one group of claims just a mile and a half south of the Surprise

and Clipper mines. One of their claims shows a vein sixteen feet wide that runs 5 per cent copper. Very little development work has been done as the claims have only been discovered last summer. East of this group and two miles due east of the Surprise the same company has a group of six claims on the north fork of the Chenuis creek, this group showing four parallel veins, having an easter-ly and westerly course. There has been no development work done on these claims.

NO PROSPECTING DONK.

"A vast area of country lying south and east of the Chenuis creek for a distance of six or eight miles has had no prospecting whatever done, so until the country between the Carbon and White river glaciers is reached there is no development. Mr. Fred J. Chamberlain and Mr. James Sanders have been the principal prospectors in this section, which, by the way, they reach by following the Carbon river up to the glacier, and then up the south or east side of the glacier to their prospects. The district is doubly interesting on account of its situation. It is the highest of all the mineral locations, guarded for years by both the Carbon and the White river glaciers, traversed by many veins of both quartz and iron. On one vein in particular there has been eleven claims located end for end, or in other words a vein that can be traced for a distance of 16,500 feet by its outcrop. These veins vary in width from fifteen inches to five feet. The main vein shows ore in at least twenty open cuts throughout its length that assays from a few dollars to as high as \$138 per ton. The men interested in this section are Fred J. Chamberlain, James Sanders, James Forrest, James Farrell, Dr. Goble and others from Tacoma.

IN THE TAHOMA DISTRICT.

"In the Tahoma mining district, on the southwest side of the Carbon river, and accessible only through the Carbon river route, are a number of claims which will be the easiest to describe by beginning at the glacier on the Carbon river and come down. The first group is half a mile from the river on Traitor Creek. This group belongs to Messrs. Watson, Pitts and Allen, of Orting. Within the last month they have made an entry about 30 feet long mostly through slide and debris. They found the vein in place and the ore running 71/2 percent copper and some gold. The vein is 4½ feet in width. Still further south, up the creek, is another group of claims on a magnetic iron vein that runs 68 percent iron. I did not visit this vein.

"From Traitor Creek down the river for

five miles no prospecting whatever has been done until Mr. William Evaus' group of fifteen claims is reached. Mr. Evans, Mr. E. E. Brehm, Mr. Fritz Hoosa, Nartin Steel and others are located in this section, and judging from their samples, some very good claims exist there. I only visited one claim, the Cleo, and this claim shows five parallel veins.

"Other claims are located on down the river for a couple of miles. They belong to the Irish brothers, Mr. Seton and others. did not visit these claims.

"The country rock of pretty much the whole country is granite, the veins are true fissure veins and have a pitch of about 70 de-

"Such is, I believe, a general outline of the whole country, and my opinion of its stability.

C. EDWARD CONE, " Practical Miner and Prospector."

(To be Continued.)

CORRESPONDENCE ARIZONA.

(From Our Special Correspondent.)

PHOBNIX, ARIZ., Jan. 21, 1900. A smelter is to be erected on the Columbia group of claims near Jerome, and midway between that town and the famous Equator Hill properties. The Columbia is one of the companies recently organized for the development of copper properties in the Verde District. The capacity of the smelter has not been decided yet, and is dependent upon whether the company concludes to bid for custom work. It is likely that the smelter will undertake custom work, anticipating a large output soon from adjacent mines which will be restrained from shipping ore on account of the excessive freight rates. Among the promising holdings in the immediate vicinity are the News, Decatur, United Verde Jr. and the Black Hills groups.

The Black Hills people claim they have struck the Mammoth ledge of the United Verde, Senator W. A. Clark's wonderful copper mine in Jerome. The Black Hills Company is a concern organized by R. A. Thomas of Los Angeles, formerly president of the First National Bank of San Diego, and founder of the town of Escondido.

The several Jerome companies operating close together have been boring and sinking into one large bill in search of the continuation of the United Verde reef, which always has been thought to extend in that direction. The Black Hills Company has claims on the apex of the hill, and extending more than half way down to the base. The upper shaft is directly under a limestone capping, similar in character to the capping which overlies the main shaft of the United Verde, and the character of the ore encountered, at a depth of seventy feet, is said to be identical with that of the sulphides, or "raw stuff," taken out of the United Verde.

J. Ralph Dillon, who has been superintend-ing a great deal of development work in the Verde region, backed by Scotch capital, has returned to Arizona from an extended trip to the east and will push work vigorously. He is interested in a deal for the opening of the Winningham group of copper mines in Mescal Gulch. This is one of the first properties located in the district. The Crandell group, another early location is being negotiated for.

Your correspondent has been reliably informed of the intention of the United Verde Company to erect an immense water power electrical plant, at a cost of about \$200,000. The plant, if built, will be located about eight miles from the company's smelter in a small valley in the direction of the Verde Valley.

A company, organized under the laws of California, has secured an option on what is known as the Page Springs, where water power will be developed for operating the electrical plant. One of the heaviest stock-holders is Joseph L. Giroux, superintending the United Verde Mine, and all the stock is thought to be controlled by W. A. Clark. The plant is designed to furnish power for the operation of accessories of the United Verde smelter and works and for lighting the town.

G. W. Hull, a well known Yavapai County mining man, has sprung a surprise, which later may develop into an actual sensation. Four years ago he visited Congress, Arizona, and made a general survey of the country.
The Congress Gold Company had located all adjacent ground to the east of the Congress Mine, but to the west, by an oversight, it is

said that certain claims were not covered. Hull located five of the claims, which he has held ever since, and he recently managed to purchase six more. They are in a solid bunch and, Mr. Hull claims, overlie the Congress Ledge. If his judgment is correct, obviously, for a moderate sum a very valuable holding has been acquired. John Argyle, of Prescott, is associrted with Mr. Hull in the enterprise, and steps are being taken to organize a stock company, and secure working capital for the erection of a plant for the treatment of ores, although the property has not been fully exploited.

There is a report from Congress that a new body of ore has been encounterd on the 2600. foot level, of more than usual richness. It is known that the Congress Mine is getting into richer ore at depth, and it is said that enough pay ore is now blocked out to supply the milling plant for fifteen years. The Congress Gold Mine and the Pearce holdings are running a close race for first place in the list of Arizona's gold producers, and the Pearce District threatens strongly to take the lead, unless an enterprise similar to the one now being launched by Messrs. Hull & Argyle proves successful and figures materially in the output of the Congress District.
In line with the chance location of the

eleven claims at the Cougress Mine is the action of Mr. J. J. Fisher, Deputy United States Mineral Surveyor of Prescott, who some time ago, in the course of his duties discovered what is believed to be a very valuable fraction of ground between the two claims of the United Verde Company at Jerome was uncovered by locations. Last summer he slipped into serome and posted notices on the ground, which were recorded before the United Verde Company could ferret out his intention. The surface of the claim is about 450 x 150 feet, and lies on the op-posite side of Bitter Creek, and just beyond the great roast heaps of the United Verde at 300-foot level. The company recently made overtures to Mr. Fisher for his property, but he holds it at \$25,000, and that amount the Mr. company is reluctant to part with. Fisher now has men sinking at a point where he calculates the United Verde Ledge dips into his location.

There is talk at Prescott of building a giant tunnel to connect Lynx Creek with the Big Bug District. According to plans just mapped out, the tunnel, if constructed, will be 6,000 feet in length, and it will put the Lynx Creek Mines in direct communication with Prescott by rail. It will pass under the Mud Hole Mine, cutting the shaft at a depth of 400 feet. The tunnel would cause all the ores to go over on the Big Bug and thence to Prescott by rail, and its completion probably would cause a reagitation of the movement

The Whipsaw Copper Mining Company, operating the old Whip Saw Mine, in the Castle Creek District, sixty-five miles north of Phoenix, is now employing fifty men for the development of its holding, and is erecting a 60-ton water jacket smelter. The operators are developing several leads of ore, which on an average assay about 10 per cent copper and carries gold. The main shaft is down 165 feet, and the property is being opened at another point by a tunnel in 400 feet. Two short drifts running in opposite directions from the face of the tunnel are in oxide and carbonate ore, which runs from 10 to 20 per

cent copper and carries about fro in gold.

The Whipsaw property originally was worked for gold, more than ten years ago.

On account of a report submitted by Thomas E. Farish, a well known mining expert, who declared the mine to be essentially a copper property, the Whipsaw Copper Mining property was organized less than a year ago, to take up the development. William Christy, President of the Valley Bank of Phoenix, is at the head of the company.

The mine now gives evidence of developing into an important copper producer. The water jacket smelter, now under course of construction, is being built for the purpose of treating the large quantity of surface oxides and carbonates. There is reason to believe the property will be in sulphide ore when better developed, and it is the intention of the company, when the sulphides are encountered to put up large smelting mark. tered, to put up large smelting works.

A strong movement is on foot for the building of a wagon road between the Riverside and Mineral Creek Districts and Phoenix. A sum of money has already been subscribed here for the purpose, which gives assurance of the completion of the project. The object is to afford an outlet for the numerous new and valuable mines of the regions surrounding Florence and Riverside, about 60 miles from Phoenix, and to make of this city a supply point.

CALIFORNIA.

The Manvel Gold Fleld.

(From Our Special Correspondent.)

MANUEL, Jan. 22, 1900.
EDITOR JOURNAL:—The Manuel gold fields are on the New York Peak of the Providence Range of Mountains, and only two to three miles from the California Eastern Rail-

road station of Manvel.

I have been referring to State Mineralogist J. Crawford's reports, 1896, as to the Providence Mountain Range, and especially in the New York Peak District He says: "The geology of the locality is simple, consisting of quartzites, in part conglomerate, mica schist and limestones, resting on a mass of intrusive granite. * * * The sedimentary rocks have a curving strike around the granite core of the New York Mountains. Dykes of rhyolite and feldsite have intruded the sedimentary rocks and the topography of the region in the vicinity of the south end of the New York Mountains suggests the possi-bility of faults. * * * These New York Mountains are an extension of the Providence Range, though disconnected. Veins and mineral deposits occur at several places in the sedimentary rocks which flank the main granite core. The axis of the range is northeast and southwest. * * * The nuclear mass of the range is grano-diorite, which has uplifted the older sedimentary rocks on its flanks; the upper portion or dome of the great anticline has been eroded, leaving only the anticline has been eroded, leaving only the very rugged line of serrated peaks and ridges flanked on both sides and about the ends of the range by quartzites, limestone, mica schists and conglomerates. * * * In granite, which is a portion of the great mass of New York Mountains, are large quartz veins containing gold and copper sul-phides. * * * A variety of eruptive rocks have intruded the sediments at many places; local faults and folds are numerous.

The north end and easterly side contain the Manvel gold fields; and the explorations in these sulphides led to the recently discovered bonanzas of sulphide ores, occurring as shoots in the feldsite veins in these granite fields. On opening there is discovered the sulpho-telluride character of the ores, those in the quartz rather dark stained, and the feldsites of these veins are a pegmatite, also carrying pay gold values.

I have referred to these facts and conditions

because of several pretty stories I have read about the St. George Mine and who is yet the real owner of that property. In 1896 J. W Mackey et al. of San Francisco were the owners, and A. G. Campbell of Salt Lake, lessee. It seems the Flood estate was included in the 'et al." names of the owners, but on Dec. 30, '98 and again on Oct. 29, '99, a Los Angeles paper referred to the St. George Mine and the big strike, but then it was proclaimed to be the property of Greene Campbell of Salt Lake, the lessee having become owner for a consideration of then, \$3100. Soon the 10-foot ore body was broken into and it milled \$35 per ton, as reported. But the elevating part of it is, now, that the St. George is under bond for face one. der bond for \$250,000. It is now, therefore, "agreeably discovered" that the mine is worth \$250,000 instead of the \$3100 then. But where are Mackey and the Flood estate? Did they really sell all out to A. G. Campbell? Who can answer this question propounded to I know nothing of the transfer details.

But I do know Campbell broke open the ledge of values in the mine by crosscutting and sinking. And it is more of these sinkings and crosscuttings that are wanted in the New York Mountains.

Five hundred bars of lead silver bullion were landed here for shipment to refinery by the Tacopah Smelting and Mining Company.

Two carloads of copper buillon have gone to the market from the Ivanpah Smelting and

to the market from the Ivanpah Smeiting and Mining Co., shipped from Manvel.

Two cars of lead ore have gone to smelters from Manvel, from Potosi Mines in Nevada.

Ores arriving for shipment now are lead copper, gold and silver.

R. S. Seibert and T. M. Brown have been talking about "fine points o' the law." and real property of late. Brown seems to be on top and backed by the United States Land Office officials and the Interior Department at Washington as well. Their discussion has become of interest to others. The feast is in order soon, at least it is to be hoped so, for the townpeople are concerned in the future of Manyel as a mining camp residence.

The Gold Bronze Mine at Vanderbilt has another bonauza of mispickle ore, below the water level that is a beauty, refractory and smelting product, and it takes a first class assayer to reveal the true values. It is high-

grade ore, all the same, and very beautiful.

Crawford's report naming the nuclear mass of New York Mountain "grano-diorite" and it is likely correct, put me to my references in comparison. I find that Waldemar Lindin comparison. I find that Waldemar Lind-gren in his reports on the gold quartz veins of Nevada City and Grass Valley Districts, California, shows that the mass of grano-dio-rite at Nevada City and Grass Valley are the rich producers of gold there, as circulated by the U. S. Geological Survey Department of the Interior, 1896. There the definition of grano-diorite is given: "Having a normal granite structure, and a mineral composition of quratz, soda-lime, feldspar, orthoclose, hornblende and nearly always biotite. Titanite and magnetite are nearly always present as accessory constituents, showing a very fine grained micro pegmatic intergrowth of quartz." And the point made is this: That here in the Manyel gold field the ores outcropping in shoots compare to those shown by Plate VII specimens showing structure of ore, as ore from the Omaha and Federal Loan Mines at Grass Valley and Nevada City; but quite like the Federal Loan Mine ore sample. Yet the ore from 14 level of the Omaha Mine at Grass Valley is also a fair type of the Manvel gold field ores, being fine grains of pyrites. There at Grass Valley and Nevada City this ore assayed \$15 to \$40 per ton in gold. This gives a deep mining view of the Manvel gold field as to values and character of the high-grade ores.

Mr. Duvall has a double shift of miners at work executing his 100-foot contract on the

Old Shoes Mine.

During the past ten days five new ore shoots, carrying similar ores to the Old Shoes and Good Hope claims, were found.

Gus Hamstadt and partners are now sinking a winze upon the Mineral Queen copper claim, following down the vein of ore.

Righteen claims have been mill sampled in the past few days and the tests are now in the hands of assayers at Los Angeles, Cal.

Manvel has the oldest mining men actu-ally engaged at work in the West. Mr. A. Winters celebrated on the 16th inst. his 82nd year. Been mining on the desert 50 years. Last year he buried his mother at the age of 102 years. This is only equaled by Mr. Joyce, a miner at Government Wells in Providence Mountains. Joyce is 84 years old and working. His father and mother are still livery ing. Joyce comes from Mechias, Maine.
'Old Man Hunt,' who in the past made a

great strike at Panamint, has made a discovery of 30 per cent copper ore near Saratoga, about 75 miles west of Manyel.

Gus Hamstadt has struck it again, this time on the west side of New York Mountain Peak, and by the road about 20 miles west of Manvel. He has four claims on one ledge, ore showing from 25 to 100 feet wide, shows cop-per, gold and silver, and he will put miners to work on it at once.

Real miners are a scarce article at and about Manvel.

A good strike has been made at Shadow Mountain by Mr. Hamstadt and other parties. The ledge is a quartz ore in syenite and porphyry, gold ore of a high grade. The lo-cation is on the south side of the mountain. Work will commence there at once. This work will commence there at once. This strike is about four miles north of the old San Bernardino and Ivanpah wagon road, and about 4,5 miles from Manvel. A. Winters is also operating there, the E Pluribus Mine. He has a tunnel of 300 feet and a shaft of 150 feet. This is a gold mine, ore a white pyrite of this creative of this creative of the control of the contr in quartz. 200 tons of this ore milled averaged \$52 per ton. The veins run north and south, just a little to the west of north. Winters has formed a company to work the E Pluribus group of 22 claims upon which there are about 2000 feet of shafts and in which he says there is now plenty of ground ready for stoping ore. Now the ore is of high grade smelting quality, and there should be a mill near by, but it is over six miles to water. This proposition is gold, lead and copper. And it is quite certain now that the production from Shadow Mountain will be heard from regularly.

Regular shifts are working on the Old Shoes Mine, near Manvel. The work of

Shoes Mine, near Manvel. The work of sinking the 100-foot shaft goes steadily along, every hour of the 24 of each day.

On Jan. 18, 1900, Louis J. Spear purchased the Modoc, the Times, the Little May, the Machias, the Mammoth, the Joe's Wonder, the Good Hope, the Robust, the Columbia, the Olympia and the Horseshoe mines, and the terms of the escrow deed are for more than \$10,000. Another troofoot shoft is to be than \$10,000. Another 100-foot shaft is to be

put down upon the discovery in the Good Hope claim and other general work done. Spears also owns in the same group the Grand View, Buena Vista and Vermont locations, all near Manvel on New York Mountain. Gold ore.

Work is in progress upon the Good Hope claim, sinking now on the vein. The ore hody of quartz and sulpho-tellurides looks well, and for a newly-discovered quartz ore body assays very well.

The lights are burning all night long now

at the Mineral Queen claim of the Gus Ham-stadt crowd on New York Peak, where they are sinking a winze on the native copper and native silver ore.

The Potosi lead mines of Nevada are dumping at Manvel shipments of lead ores to

the smelters regularly.

Mr. Bunce, owner of the old New York mines, has extended me an invitation to thoroughly examine the mines, and I shall do so. It seems to be a desire of the owners to arrange for a deep shaft working of these mines. There is abundance of water in the 100-foot shait, and the ore changed there to a more compact, better body of better values.

Quite a number of claims have been laid

upon the wolframite or tungsten ore mines near Granite Springs, in the Providence Mountains. These are soon to be opened up.

And it's boom! boom! boom! day and night now upon New York Peak, near Manvel. It is the merry hum of mining—real mining, at that! Another Cripple Creek is opening, and it's gold ores!

The shop for building the big freight wag-

ons will reopen here soon.

GILES OTIS PHARCE, M. E.

WASHINGTON.

(From Our Special Correspondent.)

SPOKANR, WASH., Jan. 20, 1900. The Red Boy, of Sumpter Camp, have decided to sink a three-compartment shaft. It will be sunk 500 feet below the present lowest level before drifting. The machinery, con-sisting of engines, hoists, etc., will have a ca-pacity of putting the shaft down 2,000 feet. It is calculated the first cost of the machinery will be \$40,000, and the entire cost of equipment, sinking shaft and drifting to the ledge will cost some \$130,000. At the 500-ft. level drifting will be done on the Golden Monarch and Red Boy ledges, and the crosscut from the bottom of the shaft to the ledge will be over 400 feet. This will give a vertical depth of 1000 feet on the Red Boy and 800 feet on the Monarch ledges.

Paimer Mountain Tunnel Co. will continue the work of running their tunnel further in the mountain, and will install electrical machinery capable of furnishing more than 3,000 horse power, 2,500 of which will be for rent. Their power plant will also be increased and their tram and and mine will be lighted by electricity. They also expect to decide upon

a plant and proper methods of treating ores.
A 2000-foot crosscut will be run on the
Bull Frog. and power will be taken from the
Palmer Mountain Tunnel Company eight
miles distant to run the machine steel drill plant which will be installed shortly. On the Phantom claim a steam hoist of 1000-foot capacity will be installed.

Work will soon be resumed on the Insurwork will soon be resulted on the Insur-gent Mine at Republic, which is believed to carry the Lone Pine and Last Chance leads. The number three shaft will be continued some 60 feet. It is now in ore.

As soon as possible machinery will be in-

stalled in the Quilp, another Republic mine, consisting of seven-drill compressor, one hun-dred horsepower boiler, sinking pumps, hoist The order for the same has been placed with Eastern parties, and in six weeks time is expected on the ground and in running order. The Quilp is one of the best properties in the Republic camp. The ledge is one of the largest, being fully 60 feet wide and it is claimed. good values are to be found the entire width of this immense vein.

About 300 feet from number two shaft the new double compartment shaft will be sunk on the Tom Thumb. It will be sunk to the depth of 300 feet before crosscutting to the vein. A new steam hoist and pump will soon be installed. A compressor plant is under consideration and no doubt will soon be ordered installed. They claim nine feet of ore in sight that will average the entire distance of the pay chute, something over 100 feet,

fully \$25 in gold per ton.

Republic Mine has nearly 3,000 sacks of ore ready to ship to the smelter, all assorted and of good value. This will be the richest shipment ever made from this camp or this mine. The drift on the 600-ft. level is 300 ft. south of the tunnel. The ledge has narrowed somewhat in the face and the face is likely to be all in quartz shortly. The values, however, are still maintained. Some sixty men are on the payroll.

The machinery for the Mountain Lion Mine is nearly all at the mine, but little remaining at Grand Forks. That already on the ground is being installed as rapidly as possible. Some sixty men are employed, and development work on the mine has been suspended for the present. All is expected to be in running order about March first. As soon as the hoisting plant is ready the work of sinking the shaft to 900-foot level will begin.

The ledge on the south drift of the Lone

Pine is six feet wide and has been driven fifty feet. The ore averages about \$80 to the ton. On the north drift the ledge is five feet wide, has been driven some twenty feet, and

averages in value \$20 per ton.

The Columbia property, consisting of four claims in Belcher Camp, has one of the finest surface showings of any claim in this section. At the point of discovery there is a three-foot vein giving the highest values of any ore found in this camp. Nine men are now employed and development. ployed and development work will be pushed with vigor this winter. Two shifts will be employed in the tunnel and one shift in the The tunnel is in 100 feet and the ledge will be cut when another fifty or sixty feet of work has been run. The mineral veins in this camp are in most cases capped with iron necessitating some depth before ore of good grade is reached. Three distinct ledges paralleling each other run the entire length of two claims and it is for the purpose of cutting these ledges at depth the present crosscut tunnel is now being run. Development has been slow as the rock is very hard. The rock in the tunnel carries considerable quartz well weighted with iron sulphides carrying copper. This quartz is identical with the gangue rock of the adjoining claim, the Belcher, and leads one to believe that the richest ore will be found in that rock which is now coming in at the top of the tunnel. This company is fortunate in having good managers and ample funds with which to push work and develop the property on paying basis.

The value of mineral for British Columbia

the past year will approximate seven millions, notwithstanding the fact that the Slocan district was practically closed down for the entire year. Rossland District mines, gold and copper, \$3,900,000; Nelson District, gold, copper and silver, \$1,250,000; Slocan District, silver and lead, \$1,750,000; East Kootenay District, silver and lead, \$50,000.

At Rossland, the Center Star has declared its first dividend, amounting to \$30,000, which is one per cent on the capital stock of \$3,000,000. Now that dividends have commenced, it is expected to continue monthly payments. They have a large body of ore from which to ship and are now sending to the smeller 1,000 tons a week.

ing to the smelter 1,000 tons a week.

On the 750-foot level of the War Eagle the ore is better and richer than on any of the other levels. It is all of shipping grade and twenty feet wide. Drifts are being run east and west from the shaft. Two parallel pay streaks have been found on the 625-foot level; that on the banging wall is the full width of the drift and on the foot wall is 35 feet wide. Sinking will be resumed as soon as the station

at the 875 foot level is completed.

The Trail Smelter has got its lead smelter in blast. They have secured ores from Slocan and East Kootenay. Lead smelting will no doubt be found profitable from now on as the removal of the duty on pig lead refined in the United States from lead bullion will enable them to work at a profit. Formerly pig lead paid an import duty into Canada of 15 per cent, which had a tendency of shutting the product of Canadian mines out of that country. This has now been changed so that lead bullion produced at Canadian smelters can be sent to the United States in bond, refined in bond, and the pig lead produced is then reimported into Canada free of duty.

THOMAS & NEWCOMB.

Miscellaneous Mining News.

CALIFORIA.

CALAVERAS COUNTY.

Eighty stamps are dropping at the Gwin Mine. There are about 170 men on the payroll.

The work of sinking at the Voorlander has been stopped, and preparations are now being

made to crosscut the lead.

Some very rich rock was struck in drifting north on the 300-foot level of the Commodore Mine, situated one mile west of San Andreas The rock will go between \$5 and \$6 to the ton. There are already twelve feet of this rock, but the full width of the vein has not yet been determined. Twelve men are employed at the mine, work is going ahead in an active and systematic manner.

EL DORADO COUNTY.

A strike was made at the Schneider Mine, adjoining the Griffith and Coleman, near El Dorado. Seymour Hill and C. F. Bryant have a bond on it. A tunnel was run 750 feet east and crosscut. Recently a drift was made forty feet in on the three-foot vein, showing free gold.

Supt. Edward Bind of the Blue Gouge Mine reports improvements at the mine progressing very satisfactorily. The framework of the mill proper is up and enclosed and the machinery is all on the ground. Mr. Bind hopes to have the mill running inside of two

nonths.

KERN COUNTY.

Coalinga Oil Fields.

Three cars of casing for the R. H. Herron Co. are being unloaded at the Valley depot.

There is no abatement in oil exploitation.

Judging from the present outlook, within 60 days too drilling rigs will be in operation in the Kern River and McKittrick Districts.

A large quantity of oil-well material is lying at the station under consignment to the Bachelor Oil Company. Among the various machines are two gasoline engines.

Ott & Stevenson have added another drilling rig to their field equipment. They have had one in operation for some time.

The Bryant well is down about 700 feet, and should be very near the oil stratum.

Practical oil men express the opinion that within ninety days the extent of the Bakers-field territory will have been defined.

TUOLUMNE COUNTY.

The mill on the Arbon has started up. The force in the mine will be increased.

Work on the north extension of the Mt. Jefferson has commenced. A shaft will be sunk 500 feet, or until striking the vein.

The forty stamps at the Rawhide Mine are dropping regularly. The work of sinking the shaft was discontinued upon reaching the 1700 foot level. Sixty-five employes constitute the present working force.

The Progressive Development Company has incorporated with a capital stock of \$100,000, divided into 200,000 shares. The company owns the Ida Dell Mine, situated between Carters and Confidence.

COLORADO.

What gives indication of being the richest and largest ore chute ever demonstrated in Cripple Creek exists in the Mary McKinney Mine, a bonanza shipper for the past year, but it has now developed that a tremendously rich ore chute, 200 feet in length at the present time, and running from \$1,000 to \$3,000 a ton, has been opened in the 400-foot level of the property.

There is a report current to the effect that an Eastern syndicate has secured an option upon the control of the Portland Company stock. The report is of eastern origin and little of the details are known in the west. It is stated in connection with the report that the syndicate has money sufficient to purchase the Portland several times over. The Portland, it is stated, is held today at \$5 a share, which price it is believed would not be paid by any Eastern mining concern, no matter how good the mine is. Five dollars a share would make the property sell for \$15,000,000, which is the figure at which Mr. Burns has held the mine for some time.

The annual meeting of the stockholders of the Isabella Gold Mining Company was recently held, and, as was foreshadowed, President B. Williams controlled the meeting overwhelmingly, and the regime which obtained last year will be continued. The mine produced during the last year:

and machinery changes, etc... 546,818.38
Cash balance in banks to credit
of company, Dec. 3t, 1899..... 476,796.06

Amount paid in dividends during year..... 270,000 00

MICHIGAN.

The Franklin mine, near Hancock, is out of debt, and has 10,000 shares of stock in the treasury that has never been issued. The mine is producing nearly 200 tous of

mineral a month. When the third head starts up, the mine will produce over 200 tons of refined copper a month. The old mine is furnishing about one third of the rock that is being stamped. Lately they have been getting it from the old stopes and levels and not from the body of rock which was to give the Franklin its life. At the four-teenth level in this mine, a 300 foot crosscut has been started over to the Allouez conglomerate. In the old days this conglomerate was exceedingly rich, and it is hoped to find it as rich at greater depth as in shallow workings.

NEVADA.

Charles Colton and Joe Lee have struck pay copper, silver and gold ore on the Copper Butte claim, one of eight claims located about four miles from the Colorado River, toward Search light. The ore assays \$15.25 in copper, \$4 to \$5 in gold, and 15 to 25 onuces of silver. Some of the best of the ore will go \$56.50 in copper.

FOREIGN MINING NEWS

BRITISH COLUMBIA.

The ore shipped over the Kaslo & Slocan Railway for the year 1899 was \$25,700,224 pounds, which shows a decrease of 16,902 891 from that of 1898.

Below is given the number of pounds shipped through Kaslo from each of the mines:

MINI	POUNDS
Payne	7,985,000
Last Chance	4,665,000
Whitewater	3,842,324
Lucky Jim	3,491,400
Jackson	1,689.900
Rambler	1,431,800
Slocan Star	769,000
Reco.,	450,000
Dardanelles	186,000
Native Silver Bell	167,000
Ivanboe	158,000
Trade Dollar	104,000
Great Western	100,000
Wonderful	81,000
Noble Five	80,000
Treasure Vault	69,000
Antoine	48,060
American Boy	41,000
Sovereign	40,000
Florida	40,000
Sapphire	36,000
Gibson	32,000
Snap	32,000
Red Fox	30,000
Grant, Wordbury	30,000
Liberty Hill	30,000
Wellington	30,000
Bell Mmes	30,000
Se 9 200 4	
Silver Bell, South Fork	6,000
Tie surs	4 (550)
Fletcher Mine	350

Total25,700,224

MEXICO.

Announcement is made of the sale of the Sonora Mine of El Oro to the Exploration Syndicate of London. Charles D. Lane had an option on the property for \$250,000, and it is said that he sold it to the syndicate for \$1,500,000.

The conducts from the Sierras brought in to Chihushus 62 bars of bullion. The mines from which the bullion came, the number of bars and their value were as follows:

Owner or Mine,	Bars.	Value.
El Refugio	II	\$ 30,000
Sta Eduwigis	12	20,000
Miguel Prado	T.	1,000
J. N. Saldwar	I	1,000
Diouico Marquez	I	1,000
Ig Rodriguez	X	500
Ig Rodriguez	2	1,000
B. I. Siguiros	Í	1,000
M. R. Vidol	I	1,000
B. A. Juarez	2	1,200
Pinos Altos	II	25,000
J. F. Valenzuela	2	1,000
El Socorro	3	15,000
Sahuaycan	I	7,000
Jesus Solis	2	2,000
B F. Brown	I	1,000
J. G. Watterson	5	15,000
El Canchenyo	I	16,000
Total Value	********	\$143,000

Power Transmission by Electricity," by Philip Atkinson, A. M., Ph. D., D. Van Nostrand Company, New York City.

A second, fully revised and enlarged edition of this well-known work will be welcomed by students, teachers and general readers. The business of transmitting and applying electrical power has developed rapidly in recent years, and many of the earlier machines and methods have now been superseded. Dr. Atkinson's book covers these improved devices and processes, and presents the subject as it is today. Further improvements in minor details will doubtless continue to be made, but most of the standard types of apparatus have now been so far perfected that radical departures from them seem unlikely.

While not professing to treat the subject exhaustively, Dr. Atkinson provides students and lay readers with all the facts essential to an understanding of stationary motors, railway motors, central station construction and equipment, and other common forms of electrical power. The subject is treated lucidly and entertainingly, and the book in its new form will continue to be a standard work of its class.

Latest Mining Decisions.

Prepared for THE MINING AND METALLURGICAL JOURNAL, by Andrews & Murdoch, Berrien Springs, Michigan. Credit must be given when reprinted.

A suit brought under Rev. St. § 2326, to determine a contest between mining claims is of an equitable nature. McFadden vs. Mountain View Min. & Mill. Co., 97 Fed. Rep. (U. S.) 670.

There can be no valid location of petroleum lands, under the mineral laws relating to placer claims, without a prior valid discovery of mineral within the limits of the cliam. Nevada Sierra Oil Co. vs. Miller et al., 97

Fed. Rep. (U. S.) 681.

A Federal Court has jurisdiction of a suit brought under Rev. St. § 2326, to determine a contest between mining claims, where the alleged value of the property meets the statutory requirements. McFadden vs. Mountain View Min. & Mill. Co., 97 Fed. Rep. (U. S.)

A trespass upon a mining claim does not raise a Federal question, nor does a claim of

right based upon a mere location of a mining claim, as against a patent regularly issued by the land department, under authority of law, for the land covered by such location. Peabody Gold Min. Co. vs. Gold Hill Min. Co., 97 Fed. Rep. (U. S.) 657.

A patent for a lode mining claim, issued under the act of May 10, 1872, is not restricted to the surface ground which may be taken under a single location, and the fact that a patent includes ground extending more than 300 feet on either side of the lode or vein does not render it invalid on its face as to the excess. Peabody Gold Min. Co. vs. Gold Hill Min. Co. or Fed. Rep. (U. S.) 657.

to the excess. Peabody Gold Min. Co. vs. Gold Hill Min. Co., 97 Fed. Rep. (U. S.) 657. Code Civ. Proc., 1895, § 494 (Comp. St. 1887, div. 1, § 40) providing that no action for the recovery of mining claims, lode claims excepted, or for the recovery of possession thereof, shall be maintained, unless it appears that the plaintiff or his assigns was seized or possessed of such mining claim within one year before the commencement of such action is not applicable to real estate patented as placer ground, and hence adverse possession of such land for one year after the issuance of the patent is not sufficient to divest the owner of title. Horst, vs. Shea et al., 59 Pac. Rep. (Mont.) 564.

(Mont.) 564
A bill asserting rights based on the location of a mining claim under the laws of the United States, which shows that the validity of such location depends on the question whether or not the locators discovered a mineral deposit within the limits of the claim prior to its location, within the meaning of such laws, and which sets out in full the facts relating to such alleged discovery, discloses a question arising under the laws of the United States, which gives a Federal court jurisdiction where the requisite statutory account is involved. Nevada Sierra Oil Co. vs. Miller

et al., 97 Fed. Rep. (U.S.) 681.

Where the allegations of a bill show that the respective parties to the suit are making adverse claims to the same land under the mineral land laws of the United States, and that the proper determination of such conflicting claims necessarily requires the application and construction of those laws, a Federal Court has jurisdiction of the suit for such purposes, the property in controversy being alleged to be of the requisite statutory value; and having jurisdiction for that purpose, and such suit being equitable in its nature, the court will entertain and determine all incidental questions between the parties growing out of their conflicting claims, and will grant an injunction or appoint a receiver, where such course is proper. Nevada Sierra Oil Co. vs. Miller et al., 97 Fed. Rep.

(U. S.) 681.

Act July 1, 1892 (27 Stat. 62), restoring to the public domain a portion of the Colville Indian reservation in the State of Washington, and providing that, subject to the right of individual allotments therefrom to Indians as described therein, the same should be open to settlement and entry by the proclamation of the President, and should be disposed of under the general laws, did not operate of itself, in advance of the proclamation of the President, to give a right to locate mining claims therein under the mineral laws, a contrary construction having been placed upon it by the land department, and also, in effect, by Congress, by the passage subsequently of Act Feb. 20, 1896, in terms extending the mineral land laws so as to apply to the lands described in the prior act. McFadden vs. Mountain Vew Min. & Mill. Co., 97 Fed. Rep. (U. S.) 670.

The new Empire Building, Pittsburg, Pa., will contain two Scaife water filters, having a combined capacity of 3500 gallons per hour. The arrangement contains a unique feature, being designed so that either filter can be shut off from the main supply pipe while being cleansed; the other filter meanwhile furnishing the filtered water for the entire building. Wm. B. Scaife & Sons, of the same city, are the manufacturers of these filters, which contain no chemical or coagulent of any description:

The contract for the large extensions to the plant of the Carbon Steel Company was awarded to Wm. B. Scaife & Sons, Pittsburgh, Pa. The specifications call for a great amount of plate girder work and steel frame construc-

PERSONAL NEWS ITEMS.

CHARLES SHERMAN has been appointed assayer of the U. S. Mint at San Francisco by President McKin-Ley.

J. K. MACKENZIE, mining engineer of Chicago, has gone to Montana, where he will examine mining property for Chicago people.

JOHN MACGINNISS, general manager of the Montana Ore Purchasing Company, was in Butte, Mont., two or three days ago.

LUIS MONTGOMERY, the mining man from San Jose, is operating at present in the Slate Range, San Bernardino County, Cal.

The Board of Regents, Nevada State University, has accepted the resignation of R. D. Jackson, who occupied the chair of mines.

A. PAYNTON has been appointed Commissioner of Crown Lands and Minister for Mines in the new South Australian ministry,

GENERAL C. S. WARREN was in Rossland, B. C., last week, looking over some mining property which he will become interested in shortly.

BENEDICT CROWELL, of the firm of Crowell & Peck, Cleveland, has recently been in Salt Lake City, examining mining properties in various camps near that city.

PROF. WM. P. BLAKE, director of the Arizona School of Mines, was appointed agent U.S. Mint for the collection of statistics of the precious metal production in Arizona.

DR. FR. KOLDBOK, professor at the Freiberg Mining School, took editorial charge of the metallurgical department of the Berg- and Huettenmannische Zeitung on January 1st, succeeding DR. C. SCHNABED, of Clausthal, who retires.

Campion & Hennesy have just received a new stamp mill which they are putting up at the water right near their mine, between Garlock and Kane Springs, Kern County, Cal. It is said they have several hundred tons of rich ore on the dump.

JOHN IRWIN, Superintendent of the Union Oil Company's Oil Works at Santa Paula, has been visiting the Desert for some days, examining the coal and oil prospects. He fails to find any signs of oil east of the Mojave region, but is well pleased with the coal at Black Mountain, Kern County, Cal.

HOMER MORRIS of Los Angeles, who is an oil expert of considerable experience, and who has spent a month or more loooking over the region of Black Mountain and Jawbone Canon for signs of oil, reports that there is probably no oil west of the Sierra Nevadas.

Lew E. Aubury, the mining engineer of Los Angeles, has recently returned from a trip to Northern Arizona—Chloride and other points. Mr. Aubury is prominently connected with the Industrial, Mining and Citrus Exposition to be held in Los Angeles, and is also one of the committee men for Southern California of the California Miners' Association.

MR. THEO. F. VAN WAGENEN, E. M., of Denver, Colorado, was in Southwestern Oregon during December, examining some hydraulic mines in the vicinity of Grant's Pass. During January he has been engaged in inspecting several of the water powers of the Snake River, Idaho, for parties who contemplate installing one or more electric power plants. He will will probably make his headquarters this year at Boise, Idaho.

The Mining Jurgical

THE MARKETS.

METALS.

The following are the Silver, Copper and Lead quotations for the last two

		SILVER	COPPER.	LRAD
lan	1			
11	2	16.	16 60	4 78
9.1	3		16 50	4 70
	4		10.50	4 70
		1016	16.50	4 70
		50	16 50	4 70
	4	59	10 60	4 70
11	1	4.0	16, 50	4.70
	16	2014	16.50	4.75
	11	581	10.50	4 75
	12	24.54	16 60	4.75
	ol	1,84	16.50	4 70
	41	15.9	16.50	4 70

The Silver market has been steady and duil showing only small fractional changes during the week and closing at 26% d. in London.

Prices remain unchanged from those prices remain intending to the those quoted last week. Lake copper 18½c, Blectrolytic in cakes, wirebars and Ingots 17 @ 17½6, Cathode 16¾ @ 16¾c, casting copper 17c nominal. The foreign market is still dominated by difficulties betw. England and Transvaal. London

Lead continues in good demand and with no change in prices. New York being quoted at 4 5 to 4 50.

The foreign market has been irregular

but the cendency is upwards. Spot is quoted at £15 17s 6d0£16 2s 6d for Spanish and £16 5sd£16 7s 6d for Eng lish, while futures are at a discount of fis

The disquiting news from the ore-fields stirred up consumers and a good business has resulted at stiffening prices. New York is quoted at 5.45@5.50.
The foreign market is also firmer and again higher good ordinaries being quoted at £22 12 6d, Specials £22 17s 6d.

Antimony is in good demand. We quote Cooksons at 101/@11c. Hallett's at 95/@956, U.S. Star and Hungarian 71/@954c.

Nickel continues unchanged and no alternation of prices can be reported We quote for ton lots 336/36c per lb., and for smaller orders 35/5/638c. London prices are 14/616d. per lb., necording testing for order.

It is quite natural that this article, which is always volatile should suffer in consequence of the unsettled state of affairs abroad and the higher money market. Pluctuations have been rather wide but the close is again firm at £345 15s for spot and £146 2s 6d for three months. onths.

In New York the buying was restricted

August amounted to \$12,653

Baglish prime brauds are quoted at 1.65@1.75 with 1.50@1.60 for other brands

is quoted, English tough £78, 16s @ £79 to quantities needed to cover immediate requirements although consumption con sheets £83@£81 10s.

The provided HTML in the provided HTML

The demand for Platinum is good and prices are firmer. New York is quoted \$17.75 per ounce for large lots and \$18 for smaller orders.

Purified, 98@99 per cent., in cases of 120 lb. at 30c. per lb, in 5, 10, 25 and 50 lb tins at an advance

The wholesale price in New York has advanced \$1 and is now \$48,00 per flask. The London price has risen to £8 17s 6d per flask, with the same rate from second

THE MINOR METALS.

Quotations are given below for New York delivery:

Aluminum: No. 1, 99 per cent, ingots, per ib	3500 170
No. 2, 90 H H H	11/43/10
Rolled sheets, per lli	ise up
	21 4) 190
Alum bronze	10(9:12)
Blamuth, per lb	\$1 4 60\$ 50
Phosphorus, per 1b	MICH SINC
Magnesium	\$2.75@3 00
Tungaten, per lb	700
Ferro-tungsten, 60 per cent	6oc

Variations in price depend chiefly on the size of the order

Acetic is in good request, muriatic is moving briskly on contract, and sulphur-ic is unchanged. Blue vitriol is quiet. Only 50 bbls. oxalic axid were imported

NITRATE OF SODA

Demand is very quiet and quotations for all positions are nominally \$1.65 per 100 lbs. Odd lots can doubtless be had at \$1.62\\$. The United States imported 18.708 tons nitrate of soda in August

SCHOOL BY BUT A LUCK


Most of the business done in heavy chemicals is for future delivery, the little doing on spot being at advanced prices. Imports this week included 200 drums, 210 casks and 2 lbls. bleaching powder. Importers expect a curtailment of shipments from England When the Boer war is on, as the merchant vessels will be used for transporting troops to South Africa. Receipts of domestic goods at New York last week included 1056 sacks alkali and 250 drums caustic soda.

alkali and 250 drums caustic soda.

Caustic soda high test is quoted per 100 lbs. f.o.b. works at 1.77½@1.82½; in New York, \$1.85@\$1.90. Bicarbonate of soda is quoted per 100 lbs. f.o.b works, \$1.12½@\$1.26. Chlorate of potash crystals in New York are quoted for domestic, \$8.75@9.00; foreign, \$9.25@937½; powdered domestic at \$9.25@9.50, and foreign, 9.50@9.75.

CHLORIDE OF LIME.

CLING-SURFACE




WE KNOW this is true for the simple reason that we have about 200,000 Belts throughout the world doing this every day, because they have Stopped Slipping and are running easy, with increased contact of belt on pulleywhich means power. CLING-SURFACE keeps a belt soft and pliable, preserves it and makes it absolutely Waterproof. Rubber belts will also stop slipping and run slack. We guarantee the above.

CLING-SURFACE MANF. CO., 167-172 VIRGINIA ST.,

Represented in Sait Lake City by

Utah Rubber and Manf. Co.

First Quality in all Lines Mining Machinery AND Supplies



STEAM

HOISTS PUMPS

GASOLINE

, AIR COMPRESSORS PUMPING PLANTS

Our Compined Geared Gasoline Engine and Hoist, and Combined Gasoline Engine and Air Compressor Especially adapted for Mining Purposes.

Fairbanks' Standard Scales, Alining Cars, Pipe and Fittings,

Fairbanks, Morse & Co., Chicago, Cleveland, Cincinnell, Louisville, Indianapolis, St. Paul, Minneapolis, St. Louis, Kansas City, Omahe, Denver, San Prancisco, Locang eles, Portland, Oregon.

FINANCIAL NOTES.

AVERAGE PRICES OF METALS.

183 Tarked E.	NAME OF TAXABLE PARTY	4747 113784	11 17 141	der restaura .
1st, 1899:				
Month	Copper	Tin	I,cad	Spelter
January	11.75	22.48	a 18	5.34
February	\$ C1	24.23	4 49	6.08
March	(* 4	2, 43	4 17	6.31
April	C C	24 8	4	1. 24
May	15.08	3 75	4.44	642
Jame	11.93	21 42	4.42%	6.04
July	18 1	276	4.5-	5.73
August	14 + 1	1.51	127	6.65
September	13.46	12 4	4 5H	1.50
October				
November				
December				

AVERAGE MONTHLY PRICES OF

In New York pe	r ounce T	roy, from Ja-	nuary ist.
1899, and for the	veats 1808	3 and 1897:	
Month.	1899	[809	1897
	Cents.	Cents.	Cents.
fanuary	. 59 36	56 77	64,79
Pebruary		56 07	84.67
March	59 64	54,90	68 06
April		66.02	61,85
May	61.23	88.88	60,42
Inne	60.48	58 61	60 10
July	60 28	69.00	59.61
August	60.00	59.54	54.19
September	58.89	60.68	85,24
October,		60.42	52.67
November		80.00	87.91
December		59.42	68.01
Mana		AC 83	69.70

MONEY IN CIRCULATION.

Comparative statement of the circu-culation in the United States on Oct. 1st 1899. Comparison being made with

statement	on Septe	mber Ist,	18	199.	
		October 1		Change	A
Gold		\$646,561,185		\$26,372,00	
Silver		142,501, 105	i -	537 13	3
Legal Tender		314 954,600	I.	4,524,17	1
Treas'y a N't	TD'k N'tes	329,688,956	D.	453 0	ı
		min was ween			

with those in the following will give the total amount coined or issued. The figures herewith are furnished by the Bureau of Statistics Treasury Depart

MONEY IN TREASURY.

Comparative statement of changes of money in United States Treasury on Oct. 1st 1899, comparison being made with statement, on Sept. 1st, 1899.

The Gold and Silver bullion on hand in the Treasury is not included in this statement.

GOLD AND SIVLER EXPORTS AND IMPORTS.

At all United States ports, for the month of Septemb., 1899, and 9 months and 1899;

Street, sold and for		
	REPTRMBER	
Gold-	1999	1890
Ruports	\$ 3,103,Bto	\$ 618,995
Imports,	16,868,341	2,593,R94
	£ \$13,705,531	I. \$ 1,974,899
Silver	4	80.600
Rxports		\$3,622,041
	2 ₁ 000 ₁ 6y6	2,376,846
Excess	.,	R. \$1,245,195
NINE	MONTHS BNDING	AUGUST.

Gold—	1898	1899
Exports,	\$12,781,923	\$32,877,839
Imports	127 343,816	34 268 421
Excess	1.\$114,561,893	I, \$ 1,390 583
Bliver—		
Exports	\$39,433,500	\$38,735,431
Imports	. 21,099,224	22,724,095

*泮 WANTS 🖴

COPPER MINE State full particulars in regard to development work lo ention, distance from water, price of fiel, character of ore and returns from shipments. Must have at least 1500 feet of development work. Send all information possible. Address.

JAMES HOWARD,

Core The Mining and Metallurgical Journal. 32 Broadway, New York, N. Y.

GOLD mine anywhere in United States, must have at least 1000 feet of developement; where coal is not over \$6.00 per ton or wood \$4.00 per cord delivered; plenty of water; no objection to low grade ore if profit can be made by having large plant to amal gamate and concentrate; want 6 months working bund; no property considered unless owners are prepared to deposit certified check for expenses of engineer if property is not as represented Address with price and full particulars J. E. M., Clining and Cetaliurgical Journal, 32 Broadway, New York, N. Y.

PAPERIRNCRD man desires position, who can install, run and keep in repair, Steam Ricctrical and Mining machinery, ha knowledge of issaying and office work. References Address: W. H. K., McCroun, Cal.

PRACTICAL, young assayer desirea position
ms assistant ossayer or helper around mill
flest of reference if desired. Address
ALBERT GUY.
Y. M. C. A., 209 S. Bdway, Los Augeles, Cal

Gold, Silver, Copper, Zinc and Lead Mines.

Gold, Silver, Copper, Zinc and Lead Mines.

Partner wanted who would invest Jacoso in developing a large Mining property located in the Territory of Teple, Mexico, on the Pacific Conal. Gold mines ore averages from 3 to 300 per ton of acoo the, Silver from 1 to 3 kife. Lead from 15 to 30 per eent., Cline from 20 to 35 per eent., Copper from 5 to 25 per cent. Repart and a manufacture of the mines.

Call or address.

Halfas Galinito.

94 Iturbide St., Teple, Mexico

NOTICE TO STEAM USERS

NOTICE TO STEAM USERS
The National Association of Station
ary Engineers in prepared to furnish Engineers of guaranteed ability for any plant
in the city or elsewhere. Give us a call
Address; J. T. Chambers, S.
Fugine Room City Hall
Tel Main 557. Loss Angeles, Cal
Wanted also a Revolving Dryer Most
be in good repute Address
Auritta Hanney,
Agent Copper Chief Mining Co
Frome, Ariz

FOR SALE

Wild, I. GIVE me half interest in a group of five gold claim con the desert for parties who will put up mill and Cyandle plant Address [ouruni Office, Los Angeles, Cal

LARGE Gold deposit, will average \$15 a free gold suitable for Cyanide Process
Twelve miles from Railroad, in Arizona

TREMAIN Two Slamp Steam Mili at Tucson Arizons. 15-II. P. Boiler Pump and every thing complete, set up ready for work. In excellent condition, used less than six months Address Denoging. Mining Magning wy Co Kansas City Mo

CONTRACTOR'S PLANT FOR SALE

feet Wire Rope, all sizes, for Holsting and
ty use; 200 Army Tents; plain Slings Manila
Rope, from Blocks; from Shockles - These goods
has conty been used a few days - Can be bought
cheap - Loward J. Kany
260 Front St., New York City

(HII MI-T — vears training and knowledge — (Mr + dry), deares position with prospecting party or as assistant in laboratory Highest endorsements Address, J. W. PRLL, — Ashville, N. C

FOR SALE AT A BARGAIN

6-TON copper smelling Plant, consisting of two to ton furances, one of which has new seamless ince. Plant is complete in every deall. Also an Ro-ton Silver-Lead Furance tirely new, never having been set up. All of the above located linnerlately adjacent to radiroad for plant of Ga Rotinar, Wontrian & Goss, dealers in Mining and Mill Supplies, Tucson, A. 1.

The Cleveland Mining and Stock Exchange Co.

New England Building, Cleveland, Ohio.

A Reliable Information Bureau for Miners and Investors to obtain FACTS Regarding Capital and Mines. Stocks and Mines listed. Send for prospectus.

Morgan-Watson Mining and Construction Co.

MINES
AND
STOCKS

809-810 New England Building, Cleveland, Obio
We Buy, Sell, Lease and Bond Mines of all kinds
We Buy, Sell, and Negotiate sales of mining and other stocks
We Furnish flachierty to work good mines under special arrangement
We Furnish Capital to develop mines.

JAMES IRVING & CO. **ASSAYERS** REFINERS

Largest and most complete establishment in Southern California Cyanide and Mill Test.



Mint Prices paid for Gold and Silver Bullion. Returns made within four hours after receipt.

128 N. Main Street (Old Location) Los Angeles, Cal

From I to 40,000 pounds weight

Of Open Hearth or Chester Steel. True to Pattern, Sound, Solid. Serving of all knows and Crask Shatta Shoes, Dies, Crusher Utate, Bosses, Tuffels and Roll Shells Steel Castings of every description.

Chester Steel Castings Co.,

Works Chester, Pa., Office, filbrary St. Phila . Pa.





L & C Combination Melting and Muffle

Assayers' **Furnaces**

(For Gasoline)

Are Economical, Convenient and Efficient. DESCRIPTIVE CATALOGUE ON APPLICATION

F. W. BRAUN & Co.,

Assayers Supplies of Every Description.

501-505 N. MAIN STREET LOS ANBELES, CAL.





) LARGEST GASOLINE PUMPING PLANT IN THE WORLD

The illustration shows the gigantic pumping plant recently built by the Mercules Gas Engine Wor the Packer Rinch, Column Co., 40 h.p. Hercules Engine, pumping 7200 gallons a minute, 27 to high. Burns Gasoline and Oil Engines, 10 high. Burns Gasoline and Oil Engines, 2300 h.p. Send for Catalogue, MERCULES GAS ENGINE WORKS, (in Ga) St., San Facilico.

BOSTON	Homestake	NEW YORK. Adame Con Aliamo . 13/4ron Silver . 50 Aliamo . 13/4ron Silver . 50 Aliamo . 25 Alferson . 19 Innie Blanche . 140 Anaconda Copper38 (0) Instine . 15 Anaconda Gold . 4 King & Pemb . 35 Anchoria f. 72 Lendville Coos . 18 Acq. strom juni its . 18 Helcher . 19 Mexican . 25 Brunawick . 25 Molli Gibson . 24 Burt Cold . 25 Brunawick . 26 Ontario . 725 Chrivolite . 27 Chrysolite . 28 Comstock Lunnel . 29 Comstock Stocks . 30 Phoenix . 88 Comstock Stocks . 30 Plymouth . 98 Comstock Secret . 68 Comstock Sec	Bob Lee
10 10 10 10 10 10 10 10	Bob Fee Color Co	Con Cil A Va 145 Potosi Cr & Cr Creek Og Quicksilver 2 200 Creacont	Amistad y Concordia, Angustias Arevalo y Anexas Alevalo y Anexas Barradon y Chiris Barradon y Chiris Barradon y Chiris Candeira de Pinos, Candeira
Description Description	SALT LAKE CITY Ann hor Ann hor	Anchoria Leland 10 Lillie Anaconda 46 50 Matoa Arcadia 04% Mollie Gibson 2 Argentum Iuniata 25% Moon Anchor 7	Lor de Maravillas Hidalgo

CLARENCE HERSEY,

(Established 1879)
LEADVILLE, COLORADO Samples by Mail or Express Receive Prompt Attention

SPECIMEN ASSAY PRICES: Goto silver and lead, \$1.00; any two of the hove, 75c; any one of above, 50c; copper analy is, \$1; platinum, alckle or tin, \$2,00. Write for full price list and malling envelopes

ADOLF FRESE

Maker and Repairer



of Transits, Levels and all other instruments used in mining. Fine assorted stock of Keuffel and Esser goods. Also Microscopes. Rarometers, Field Glasses, Thermometers, Hydrometers, etc.

126 S. SPRING STREET Los Angoles, Culifornia

DIAMOND

If you are interested in prospecting, send for our new Catalogue No. 33

BULLOCK MINING MACHINERY

Hoists and Haulage Plants, Mine Ventilators, Cars, Skips, Cages.

Write for What You Want.

306 BYRNE BLDD., LOS ANGELES. CAL. M. C. BULLOCK MFG. CO., PARKE & LACY CO., AGENT



1169 W. LAKE ST., CHICAGO, U.S.A.

FROM CRIPPLE CREE

AIR COMPRESSORS ROCK DRILLS, Stone Channelers. The Pohle Air Lift Pump, Coal Cutters,

New Catalogue No. 32

New Catalogue No 4:

Pamphlet No. 100

Catalogue No. 72

Special.

THE INCERSOLL-SERGEANT DRILL COMPANY, HAVEMEYER BUILD'G

PARKE & LACY CO., AGENTS, SAN FRANCISCO, CAL.

JAMES F. BURNS, Pres t JOHN HARNAN, Gen Man, FRANK O. BECK, Sec'y and Treas


THE PORTLAND GOLD MINING CO.,

INCORPORATED MINES PAYING DIVIDENDS.

	NAMES OF MINES	LOCATION	No. of Sharea	Capital Stock	Par Value	Amount of last Dividend	Date of Last Dividend	Foths Americat Paid in Dividends	Kind of Minerals Produced
-	Aeins Cons	California	100,000		\$ 6	(# 10)	Oct 1899 .	† เกรียกกั	3
2	Alamo	Utah	125 000 200,000	125 000 5,000,000	25	02	April 1899 Oct 1899	4,210,000	f 7
4	Alaska Mexican	Alaska	200,000	1,000,000	5	10 2 00	Oct 1899 Nov 1899	129 031	C
5	Anaconds Copper	Montana	1,200,000 600,000	80,000,000 600,000	25 1	08	Oct 1890	334,000	17
6 7	American Gold	Colorado	800 000	3,000 000 1,500,000	10	09 1 25	Tune 1999 ; Sept 1999 ;	481 000 127 700	toul
8	American Coal American Zinc, Lead and Smelting	Maryland Missouri	60,000 200,000	500,000	25 25	10	Oct 1899 .	10 000	Z, L
19	April Fool	Nevada	500 000 100,000	500,000 2,500,000	1 25	01 50	Oct 1899	0.0 068	ŧ.
11	AuroraArgonaut	Onlifornia	200,000	2,000,000	10	10	Nov 1499	100 000 762,141	G, O, 4
18	Baid Butte Bonanza Development	Montana! New Mexico	250 000 300,000	250,000 8,000,000	10	3 50 1	Tree 1899	1,500,000	12, 17, 1
13 14 15 16 17 18	Boston & California	California	600,000	000,000	1	06	fune 1899	72 000 375 000	
16	Boston and Colorado Smelting	Colorado	15,000 150 000	760 000 3,750,000	50 25	75 1 00	Nov 1899	14,500,000	0, C, S
18	Breece	Colorado	200,000 100,000	5,000,000 1,000,000	25	05 10	Dec 1899	70 000 2 438 400	G, 8,
29	Bullion Beck and Champion	Utah	800,000	3,000,000	10 10	07	Dec 1899	708 000	8 L.
21	Cariboo-McKinney	British Col	600,608 000,01	800,000 2,500,000	1 25	0112	June 1899. Sept. 1899.	111 966 64 850 000	C
23	Centennial Eureka	Utah	80,000	000,000,1	50	50	Aug 1809	2,150,000 142,000	S. L.
24	Centennial Eureka Central Lead Oharleston	Missouri S. Oarolina	10,000 10,0 00	1,000,000 1,000,000	100 100	50 2 00	Dec 1899	200,000	
20	Colorado Smelting	Montana.	100,000	1 000,0 10	10	1 00	Jan 1899	1,945,000	G. S. C
27	Commonwealth pref	Missouri	100,000	500,000 100, 000	5	0014	Dec 1899	4,100	* * * *
29	De Lamar.	Idaho	400,000	2,000 000	5	12 001/4	May 1899	2,846 000 45 000	G, S
30	Deer Trail No.2	Washington	1,000,000 5,000	500,000	100	50	Dec 1899	90 000	L.
19011233456 2222222223456 33533333333333333333333333333333333	Empire State Idaho	Idaho	75 000 1,000,000	750 000 1,000,000	10	01	Dec 1899	323 037 20 000	H. S.
34	Ferris-Haggerty	Wyoming	1 000,000	1 000,000	i	9012	Mar 1800	5 000 34 000	C 0, 8,
35	Golden Star	Ontario, Canada	1,200,000 100,000	1,200 000	3	01	May 1899	41 000	
	Gold Coin of Victor	Colorado	1 000 000 ;	1 000,000	i	01	Nov 1899	280 000	G.
3g 3g	Gold King	Colorado	200,000	1,000 000	1 5	93 05	Oct 1899	258 500	
40	Grafton	Colorado	1,000 001	1,000 000	1	01 24	Nov 1899 Sept 1899	10,000 666-250	G, S, C, L
41	Grand Central	Utali	250,000 20,000	250,000 1,000 000	1 50	25	Dec 1899	101.500	G.
48	Grass Valley Exploration	California	50,000	100,000 2,500,000	2	25 25	Oct 1899 Nov 1899	90 000 920 000	Š. L.
44 45	Helens and Frisco	Idaho	500,000 100,000	10,000,000	100	20	July 1899 .	3 924,718	G.
46 47	Holy Terror	B Dakota	300,000 125,000	300,000 12,500 000	1	50	Nov 1899	1 62,000 8,038,750	G.
48	Homestake	Utaha	400,000	10 000,000	100 25	. 05	July 1890 Jan 1899.	5,270 000 202 000	8, L.
49 50	Idaho Isabella	British Columbia Colorado	500,000 2,250,000	500 000 2,250,000	1	053%	Sept 1899	173 500	(i. ' ' '
51 52	Jack Pot	Colorado	1,000.000	1,000 000	1	10	Sept 1899	75 000 50 70)	C _f ,
58	Jamison	California	390,000 52,750	263,750	10	24	Aug 1899	1,680	
58 54 65	Lake Superior Iron	Michigan Colorado	84,000 1,000,000	2,100 000 1,000.000	5	25 05	Feb 1899 Nov 1899	735-000 301-610	G.
ög	Lillie	Oolorado	500,000	500,000	1	01	Nov 1899 .	170,000 2 997 657	14
57 58	Montana Ltd	Montana	660,000 40,000	3,300,000 1,000,000	5	1 00	Apr 1899 Oct 1899	1 .80 000	G, S.
59	Morning Star	California	2,400	240.000	25 100	3 00	Oct 1899	751,500 1,341 000	G. G.
60 61	Mercur	Utah	200,000 † 400 000	5,000 000 10,000 000	25 25	26 10	Nov 1899	1,610 000	G, S, C, 1
62	Mead	California	2,000 000 400,000	2,000 000	1	20 05	June 1899. Oct 1899	120 000 500 000	Q.
64	Moulton	Montana	20 000	100 000	5 5	30	May 1899.	6 000	
65 66	New York & Hon. Rosario	Central A	150,000 28,000	1,500,000 700,000	10	10 25	Nov 1989	1,130,000	
67	New York Zinc	Missouri	100 000	700 000	25 7	30	Oct 1899 Oct 1899	1,040,000	
68	New Idria Quicksilver	California	100,000 200,000	500 000 2,000,000	5 10	30 20	Nov 1809	50,000	G,
70	Original Empire	California	50,000	5,000,000 1,250,000	100	1 00 3 00	May 1899	500 000 1.050 500	G. C.
71 72	Osceola		50,000 230,000	2,800,000	25	t 50	Oct 1899.	3,035 898	
78 74	Pennsylvania Consolidated	California	51 500 100,000	5,150,000 1,000,000	10	20 124	Doc 1899	136,475 62,500	Ġ,
75	Portland	Colorado	3,000,000	3,000,000	10	02 ,	Nov 1899	2,437,080	G, 8,
76 77	Quicksilver Pref Quicksilver Consolidated.	California	43,000 57,000	4,300,000 5,700 000	100	50 40	May 1899 July 1899	1,845,411 643,867	Q. Q
78	Quincy	Michigan	100 000	2,600,000	100 25	8 00	August 1899 Sept 1899	11,070 000 328 000	
79 80	*Republic Consolidated	British Col	3 000,000 1,000,000	3,000,000	1 1	01	Dec 1899	60,000	S L.
81 82	Royal Consolidated	British Col	2,500,000	2,500,000 5,000,000	1 1	01 0016	June 1899	1,050 000 138,000	
83	Small Hopes Consolidated	Colorado	250,000	5,000,000	5 20	10	Feb 1809	8,325 000	8
84 85	South Swansea. Standard	Utah	150 000 500,000	150 000 500 000	l	05 08	Dec 1899 Apr 1899	165 000 1,745,00>	
86	Standard Consolidated	Idaho	200 000	20,000,000	100	10	Aug 1899 .	3,879,206	0, 8,
87 88	St. Joseph	Missourl Utah	30 000 150 000	3 000 000 \$,000,000	10	50 34	June 1899	2,859 ±08 2, ±00 ±00	8,1,6
89	Smuggler	Colorado	1,000,000	1,000,000	20 1	01 05	Dec 1899	1,220 0c0 251 000	8, 1, Z.
90 91	Swansea.	Michigan	60,000	500,000 1,500,000	15	6 00	Dec 1899	6,270,000	0.
92 93	Yindigator Consolidated	Colorado	200 000 1 500 000	2,000,000 1,500,000	10		Dec 1899	8£2,000 304,530	
94	War Eagle Consolidated	British Col	2 000,000	1,000,000	1	0139	Dec 1899	192,750	
95 96	Wolverine	M.chigan	60 000 100,000	2,500,000 1,000,000	25		Oct 1899	270,000 288,789	
	S Silver: (4 Gold: I Iso			1	10	enn			

S. Silver; G. Gold; L. Lead; O. Copper; Q. Quicksilver; I. Iron Z. Zinc.
N. B.—Companies not listed paid nothing in the last twelve mo ths. Paid since consolidation, \$203,000; Republic paid \$120,000 under old management

No. 043 Button Balance_



10-Inch Beam Sensitive to 1-100 Milligramme.

This is a double-column but ton balance with all latest improvements, including our new adjusting device and rider rod lock. It is accurate and as rapid a beam of this length can be. For an office doing a moderate amount of work, it is the best balance to be had for both gold and silver. For complete de scription and prices of this and other balances send for catalogue

Brunston's Pat. Pocket Mine Transit.



This illustration shows an operator taking an incline above the horizontal The instrument is made especially for mining engineers, mine managers and superintendents, but its light weight and the ease with which it can be handled render it admirably adapted to the taking of topography and for geological field work. Write for catalogue B, giving full description of the instrument and all its uses, to


WM. AINSWORTH & SONS, Denver, Colorado, U.S.A.


Reliance Ore Crushers

Collom and Hartz Jigs

Hydraulie Classifiers

Reliance





Hoisting Engines

Reynolds Corliss Engines

The Edward P. Allis Company,

Milwaukee, Wisconsin


SULLIVAN MACHINERY



CHICAGO, ILLINOIS Sullivan Diamond Prospecting Drills

FOR PROSPECTING FOR and DEVELOPING MINERALS Rock Drills for Sinking, Drifting and Stoping

Denver, Col. Office: 332 Seventeenth Street New York Office: 71 Broadway Henshaw, Bulkley & Co., Agents, San Francisco, Cal.



25-27 CEDAR ST. ANTIMO

NEW YORK CITY

BUY >--

ANTIMONY ORES AND CRUDE ANTIMONY


WRITE FOR POLL PARTICULARS

281 MI GENERATES



Optical and Scientific Instrument Works ad Scientine 19-1010 Chestnut Street,
Philadelphia HENRY TROEMNER,

Philadelphia, Pa-170 Aarket St.



Assay Balances and Weights

in use in all the II S Assay Offices. PRICE LIST ON APPLICATION

Spend your money to buy new machinery to put on Un-proved flines which may not be a success when you can but Pumps, Hoists, Shafting, Pulleys, Air-Compressors, Engines, Bollers and in fact any flachinery you need for a fline or Mill, as good as new, at the

Denver Variety Machine Shops, THOS. CROW, Prop.

Spadone's Concentrator Belts



his limitation shows the edge flanging wardly in it passes over the policy. This seek the strain from the top and bottom he edge by directing the strain anto-ticnity to the inside face surface of the os. Heretofore all belts have been so structed that when they pass over the leave or ofte a direct strain convex upon top or at the base of the edges can sing edges to be to be directly and the dir

30 and 32 i remont St , San I rancisco, Cal. The Gutta Percha Rubber & Mig. Co.

Electric Blasting Apparatus.

Adapted for Firing all Kinds of Explosives used in Blasting





SCHO FOR CATALOGUE

Insulated Wires and Tapes, Having Caps, Fuse, hte

JAMES MACBETH & CO., 128 Maiden Lane, New York, U. S. A. BRANCH OFFICE: 308 MARKET STREET, SAN FRANCISCO. CAL.

MATHISON & CO. Second Hand Machinery.

Specialties

PULLEAS SHALTING BELLING BOXES

BOLLERS ENGINES HOISHIRS STAMP MILLS CABLE and all but little used

THE S. S. MACHINERY CO.

Denver, Colorado

FAY & EGAN CINCINNATI, OHIO

Box Factories, Planing Mills, Sash, Door & Blind Factories Carriage, Wagon and Agricultural Shops.

HENSHAW, BULKLEY & CO., Agents,

San Francisco, Cal.

resi

Gold, Silver and Lead Ores and Concentrates

Purchased at Reduced Rates for Treatment.

Selby Smelting and Lead Co.

416 MONTGOMERY ST., San Francisco

Consign Shipments to Vallejo Junction, Cal.




Western Branch, 412 17th Street, COLORADO

Best and Most Economical

American injector Go.,

Detroit, flich

Read THE JOURNAL S PAGE announcement of Books on Mining and Metallurgy



Assayers' and Chemists'

Crucibles, Scoriffers and Muffles and all other kinds of FIRE CLAY STATERIAL

SPECIALTIPS Siricity c. p. Acids Test ead, Bone Ash Cyanide Polash, Argol, orax, Borax Glass from Sulphides, Litharge, oda, Muing Fluxes, etc.

3101-3141 Blake St., 1742-1746 Champa St., Denver. Col.

NEW HAVEN MFG. COMPANY

NEW HAVEN, CONN.

IRON WORKING TOOLS.



Engine Lathes, Pulley Turning Lathes, Iron Planers Slotters, Upright Drilling Machines, Horizontal Drilling and Boring Machines, Etc.

HENSHAW, BULKLEY & Co., Agents, San Francisco, Cal.



SMITH & THOMPSON

Fine Assay Balances
Write for Catalogue
2210 Stouth St. Donver. Oct

State Ore Sampling Co.

DENVER, COLORADO.

e buy Gold, Sliver, Lead, Copper, Bismouth, nium, Wolframite, Cobsit molybdenite and imony Ores, e have modern mills for sampling one. We test ores for the new processes of reduction, it long experience in the market enables us ay the highest cash prices for all marketable Write for our "Reference Book." Send Write for our "Reference Book." Send

BAILY & MONNIG, Managers

J. E. SEXTON,

Mining Engineer,


Placerville, Cal.

I can furnish developed or undeveloped gold mining properties to responsible parties, on their own terms, and attend to the operating of the same if desired. Correspondence solicited,

TRIPLEX POWER PUMP

The Best Made

Steel Crank Shafts, Cut Gearing, Outside Packed Plungers, Single and Double Acting Telplex Electric Pumps



4 OTTO GAS ENGINE

51000 IN ACTUAL USE

The Original, the Highest Efficiency and



Henshaw, Bulkley & Co.

SAN FRANCISCO, CAL.

We Clanufacture and Brect In All Parts of the United States,

Steel Frame Mill Buildings, Trestles, Girders, Steel Tanks and Vats of every Description.



Used for Roofing and Siding of Buildings.

Sheet and Plate Iron Work. Riveted Steel Pipe. Stacks.

WM. B. SCAIFE & SONS.,

Established 1802

Pittsburg, Pennsylvania



To Gold Miners!

Silver Plated Copper AMALGAMTING PLATES

For Saving Gold In Quartz and Placer Mining, RVERY DRSCRIPTION OF MINING PLATES MADE.

Only Best Copper and Refined Silver Used. Old Mining Plates Replated. Twenty-six Medals Awarded.

Gold, Silver, Nickel, Copper & Brass Plating.

Old copper mining plates bought or taken in exphange for new aliver-plated plates and full value allowed. Gold extracted from old plates are moderate cost by a use and counterministic plates, which often contain a surplus of gold above the cost of plating, can be replated.

Denniston's San Francisco Plating Works

652 Mission Street, cor. Annie, San Francisco, Telephone, Main 5931.

E. G. DENNISTON.

Proprietor



R. A. PEREZ, E. M.

Send for Circular.

Assayer *** Chemist

· てててててててててて

Manager of the Bi-Metallic Assay Office and Chemical Laboratory
Assaying of Orce, Purnace Products, etc.
Amaigamations and Cyanide Tests Carefully Made

Underground and surface surveyor for the Coshulla and Alamo Cosl Cos.,
Coshulla, Mexico
Assiniani Chemist for the Wharton Iron Furnace, Port Oram, N. J.
Chief Assayer for El Faso Smelling Works, El Paso, Texas.
Assistant Chemist Consolidated Kausas City S. and R. Co., Argentine. Ran.

120 North Main Street,

Los Angeles, Cal.



ESTABLISHED 1859

Herman Kohlbush Sr.

59 Nassau Street, New York, N. Y.

MANUPACTURER OF

Fine Balances and Weights

For every purpose where accuracy is required.

Send for Illustrated Catalogue



THE WILSON

WESTERN FORGE AND ROLLING MILLS St. Louis, Missouri

HENDY MACHINE WORKS

SOLE AGENTS

38 to 44 Fremont Street,

San Francisco, Cal.

3 Feet to 2000 Feet

Our experience of 33 YEARS

Sond for a Pamphlet of either Wheel and write full particulars.

James Leffel & Co. SPRINGFIELD, OHIO, U.S.A.





800,000 HORSE POWER IN USE

SIMPLICITY **CHEAPNESS** RELIABILITY **EFFECTIVENESS**

Henshaw, Bulkley & Co.,

SAN FRANCISCO, CAL.

GOLD and SILVER REFINERS & ASSAYERS.

Penn Smelting and Refining Works, 901 903 Filbert st. PHILADELPHIA, PA.



PERFORATED

Steel Plate, Copper and Bronze

For all uses. Send for Catalogue A. J. BECKLEY & CO.





Robins Picking Belts

ARE SUPPLANTING

Sorting Tables of Wood and Iron.


Shut Downs Eliminated

New Catalogue Now Ready.

Robins Conveying Beit Co..

47-149 Cedar St., New York City

ORE TESTING



No. 104 JOHN STREET,

SUPERIOR STRENGTH FREEDOM

ESTABLISHED 1860

Mathematical, Scientific and Drawing Instru-



8 B. Cor 7th and Chestont Ste.

Philadelphia, Pa.

CLEANED WITHOUT ADJUSTMENT 7

THE LEVER RULING PEN

THEO, ALTENEDER & SONS, PHILADELPHA



For Tunnel Work free from Obnoxious Odors

The OLIVER POWDER CO., OLIVER MILLS.

Luz. County, Penn.

FLAMELESS DYNAMITE

Will not Ignite Gas or Coal Dust. Does not shatter coal ALL GRADES OF MINING POWDERS A SPECIALTY


Mining, Milling, Smelting,

Concentrating, Chlorination,

and Leeching Machinery

MANUFACTURED BY

THE COLORADO IRON WORKS COMPANY DENVER, COLORADO.



CATALOGUE ON APPLICATION



REACE HAWE ORR BREAKER



lovernor and Beit, Fly Wheel, Driving Pul-sys, Glass Oil Cups, Drain Cocks and Sight deed Lubricator furnished with Engine. From our to twenty horse power.

Globe Machine Works.

CINCINNATI, OHIO

Eastern Prices Beaten

Improved Facilities, Finest Work Lowest Prices



Perforated Sheet Metals

For Flour and Rice Mills, Grain Separators, Shaker Screens, Gravel and Cement, Stamp Batteries, Iron, Steel, Russian Iron, American Planish, Zinc, Copper and Brass Screens, for all uses.

San Francisco Ploneer Screen Works

221 and 223 First St., San Francisco, Cal. JOHN W. QUICK, PROPRIETOR

GRIZZLEYS FOR PLACER MINING, STEEL SHEETS FOR TROMMELS.

BATTERY SCREENS

THE ROBT, AITCHISON PERFORATED METAL CO. 269 Dearborn St., Chicago, Illinois

FRANCIS SMITH & CO.

SHEAT IRON & STEEL PIPE

Auditaulic, Irrigation and Power Plants, Weil Pipe, Etc., all Sizes.

Iron cut, punched and formed, or making pipe on ground where required. All kinds of Tools supplied for making Pipe. Estimates given when required. Are prepared for coating all sizes of Pipes with Asphalium.

46 Premont Street Snn Francisco, Cal.

HOME MANUFACTURE FOWLER'S Air Space and Asbestos

Manufacturing Company ctional Removable Covering for Steam Bollers, Pipes, etc. As a Mon-Conductor, Unequaled

Absolutely Fire Proof



G. C. FOWLER, 656-58 Howard Street SAN FRANCISCO, CAL

W.O. ABBOTT, ASSAYER

CHEMICAL DETERMINATIONS ACCURATELY MADE

TOMESTONE


ARIZONA

AMMONIA and

G. P. Acids

NORWALK IRON WORKS CO.

THE NORWALK AIR and GAS COMPRESSOR



America and South America, Great Brit-ala, etc., Also used by the U.S. Army and Navy.

Especially Designed for

ROCK DRILLS, PNEUMATIC LOCOMO-TIVES, ENGINES, PUMPS COAL CUTTERS.

and Other Mining Machinery. The Best Machine for Compressing Air for all Dynamic Purposes
Send for Illustrated Descriptive Catalogue.

HENSHAW, BULKLEY & CO., Agents

San Francisco



DIAMOND Prospecting

Machines of all Capacities

American Diamond Rock Drill Co.,

P. O. Box 1442

120 LIBERTY ST., N. Y.

Gold, Silver, Iron, Copper, Zinc and Lead

PARTNER WANTED, (Miner Preferred) who ould invest \$20,000 in developing five large averages from 3 oz. to 30 oz. per ton of 2,000 lbs Silver, from 1 kilo to 38 kilos. Lead, from 15 per cent. to 31 per cent. Ziuc, 20 per cent; Copper from 5 per cent. to 25 per, cent.

Water Falls, 500 H. P., and sufficient timber for mining use, close to the mines.

Maps, reports, and Samples sent on application Call on or address to

Lic. Elias Galindo, Iturbide St., No. 94 Tepic, Mexico WOODBURY CONCENTRATOR



228 First St.. San Francisco, Cal.



C. W. Kempton & Percy B. McCoy

MINING ENGINEERS

29 Broadway,
Mining, Milling, Metallurgy, Exploration.
Cable, Macton, New York.
Bedford McNeill's Code

FOR MINES, SMELTERS, CHLORINATION WORKS, THE CYANIDE PROCESS.

P. & B. Roofing put up in Rolls to lay 200 square feet, with Paint and Nails. Absolutely Acid and Alkali Proof.

PARAFFINE PAINT CO., Manufacturers, 312-314 W. 5th St., Los Angeles

UNFAIR COMPETITION

Our recent announcement that inferior goods had been sold and billed on the Coast as our goods, and that our trademark numbers had been counterfeited, has disclosed an even greater extent of these practices than we had supposed to exist. To make the resulting damage to the reputation of our goods as small as possible and to protect our would-be patrons we repeat:

All our catalogue goods, except those listed by us as manufactured by others, are stamped with our name "Keuffel & Esser Co." or our initials "K. & E. Co.," and where there is room for it, with our trademarks. Our German drawing instruments bear only the trademarks.

We never stamp our goods with catalogue numbers goods so stamped are therefore not ours. All our goods are fully warranted to conform to the description we give of them in our catalogue and to be of the quality and grade specified. We make some lines of cheaper goods for the jobbing trade, but they differ from our catalogue goods in quality and appearance. These inferior goods are not stamped with any of our trademarks. Our catalogue goods are not furnished to any dealer or agent without our complete stamp as described above, and any claim that we furnish our catalogue goods by special arrangement without our stamp is therefore an attempt to deceive. Our special papers in rolls or sheets

Dumbarr Ulmanuack Panall.

Quelex Universal Anvil Baragon Hormal

mbers or the palming off of other goods as ours.
Very respectfully, KEUFFEL & ESSER CO., New York



Independent Assay Office. GASOLINE ENGINES

D. W. Reckhart. E. M., Proprietor.

BULLION WORK A SPECIALTY. P.O. Rex 88. Office and Laboratory Cor. San Francisco and Chinashua Sta., EL PASO, TEXAS.

Gasoline Rugines from 2 to to horse power. Mine ventilators operated by Gasoline Engines.

TEMPLE MACHINETCO.

Denver, Colorad

Buyers of

ALL CLASSES OF BULLION, MATTE, ORE, SILVER SUL-PHIDES, CYANIDES, GOLD and SILVER BARS.

CONSOLIDATED Kansas City Smelting Refining COMPANY ORE PURCHASING AGENCIES

SMELTING WORKS LEADVILLE, COLO.; RL PASO, TEXAS; ARGENTINE, KAN.; BOQUILLAS, MEX. REFINERY: C. AROENTINE, KANSAS: J.

Manufacturers of


ALCHEMIST-

BRAND

BLUE VITROL

ZINC SULPHATE

Half Universal Radial Drills



The special features which have so highly recommended this style of Drills are our double columns, steel gearing, power and hand feeds, quick return motion to spindle. Furnished in three sizes, with large variety of tables, adapting the drills for every class of work possible.

Bickford Drill and Tool Co.

CINCINNATI, OHIO, U. S. A.

HENSHAW, BULKLEY & CO., AGENTS

San Francisco, Cal

ORE CARS.

All miners who have used the Truax Automatic Ore Cars say they are the best in he market.

Over 3,000 In Use MANUFACTURED IN SAN FRANCISCO, CAL., by

The Truax Mfg. Co.,

08 IMPROVED

PATENTED: Jau. 8, 1892. Aug. 7, 1895. July 19, 1898. In Canada, June 21, 1898.

MANUFACTURED IN

DENVER, COLORADO, by

The Truax Mfg. Co. 1717-1718 Wazee St.

We make all kinds of cars, skips and charging carts for the Mine, Mill and Smelter. All miners should have our pamphlet of use-ful information.

Dealers wanted in Illing Sections to handle the TRUAX ORE CARS.

Advertise

Your Wants IN THE


Mining and Metallurgical Journal 🎓

20 20 20 20 20 20 20 20 20 20 20

SEE Wants Page 8a for further particulars.

FOUR and

With Brownell "Patent Lip" Flange Belts




JAS. S. BROWNELL, Western Agent

132 Market Street.

FRUE VANNING MACHINE CO.
(Successor to Adams & Carter)
SAN PRANCISCO, CAL.

Taylor's Coal Oil and Gasoline Burner, PATENTED



PRICE, \$6.00


Por Sale by

MINE & MILL JOHN TAYLOR & CO., 83 FIRST ST. SOPPLIES JOHN TAYLOR

Importers and /lanufacturers of

Assayers' Materials, Chemicals and Acids.

JOHN. T. REED



Assays made for all valuable metals. Analysis made of all valuable minerals. Special attention given to the sampling of mines. Estimating the value of and testing the nature of their ores, too pound lots of ore sampled, and working tests made by Cyanide, Amalgama ion and Chiorination Processes.

OFFICE 522 COURT STREET,

San Bernardino, - - California

The F. M. Davis IRON WORKS CO.

Works 723 to 743 Larimer Street

Corner 8th Street,

DENVER, COL.

THE DAVIS IMPROVED CHILI MILL



SIMPLE, DURABLE, EFFICIENT

Five-foot Mill, \$1,500.00 Weight, 24,000 lbs. (1 Sand for Catalogues and Discounts

L. Manasse Company



Mfg. Opticians Medison Street

Manufacturers and Importers of Architects, Engineers and Surveyors Supplies.

GOODSELL'S "98" DUMP PACKING



WAX END SEWED.

No possibility of Splitting. All imperfect features of Duck packing over-come. Price 75c lb net.

Goodsell Packing Co.,

33 South Canal Street Chicago, Illinois

SWEEPINGS *

Metallic Wastes, Dental Scraps, Photographers' Wastes, Jewelers' Sweeps, Mill Wastes, Amalgamated Plates, Old Iron Retorts, Old Quickellver bought.

A. M. DONALDSON & CO., Denver, Colorado

An Extraordinary Offer

We make this offer so as to put

THE LITTLE ALASKA GOLD WASHER

into every mining camp in this country, to take advantage of it, it will save you

RUSSELL & KINSEY,

204 South Broad WHEN ORDERING PERASE MENTION THIS PAPER.

The Gold Medal Fuse Cutter & Cap Crimper | Mimperial Gas Lamp

Fastens Cap and Fuse firmly and water-tight. Result, no Misfires.

GREENVILLE, MAINE, October 27th, 1898.

JENA

Normal

Glass

THE METALLIC CAP MFG. Co., New York.

GENTLEMEN: My foremen handed me today circular of your cap crimper. Please send me one by mail soon as possible as my men always use their teeth. Mail bill; upon receipt will send amount of same. Have used 700 of your XXXX caps this summer and they have given perfect satisfaction. Today some of my dynamite was frozen, but had no trouble in getting good results. Yours truly, LYMAN BLAIR.

THE METALLIC CAP MANUFACTURING CO.,

27i Broadway, New York, U. S. A.

しいっしいっしいっしい

Trade Mark

CHEMICALS AND

CHEMICAL APPARATUS

ASSAY BALANCES

Specialties:—Analytical Portable Bal-ances, Porcelainware, Platinum goods, Crucibles, Cupels, Scorifiers, Muffles, Fur-naces, C. P. Acids, etc.

.

Everything Necessary for Assayers

Elmer & Amend,

ad Ave. Cor. of 18th St. New York

PLATINUM.

Highest Awards at the International Exhibi-ous of 1851, 1865, 1862, 1865, 1807, 1873, 1878, 1889 93, 1894 for products and manufactures of Plati-

JOHNSON, MATTHEY & CO., Lt'd

HATTON GARDEN, LONDON. Subscribe for the Mining and

Metallurgical Journal.

こうこうこうこうこう

BEST

GLASS

Labora-

tory use



MECHANICALLY

Concentrates, ores, coal, bricks, clay, etc.

- Hundreds in Operation --

F. D. CUMMER & SONS CO.,

CLEVELAND, OHIO

mpulse" Water

Highest Efficiency. Best Mechanical Construction. Never a wheel used but highly commended by user. "A pleased customer is the best salesman."

CATALOGUES ON APPLICATION

American Impulse Wheel Co.

120 LIBERTY STREET, NEW YORK

THE NATIONAL IRON WORKS



Riveted Boilers, Tanks, and Sheet Steel or Iron Work of every description.

National Steel Ore Car

Repairing of All kinds Promptly Attended to.
PORTLAND, OREGON

P. AUG. HEINZE, Pres. and Genl. Mor. JOHN MacGINNISS, Vice-Pres.

ARTHUR P. HEINZE, Sec. STANLEY DIFFORD, Treas.

Authorized Capital, \$2,500,000; Issued, \$2,000,000. Surplus, \$1,250.000.

PURCHASERS, SMELTERS and REFINERS OF

Copper, Silver and Gold Ores.

Smelting Works: BUTTE, MONT.

Offices: BUTTE, MONT., and 100 BROADWAY, NEW YORK.

Established 1887

B. Sc. Rembers American Chemical Society

Chemical Analysis, Milling, Concentration and Cyanide Tests Call and See our Stamp Mill and Frue Vanner 118% N. MAIN ST., LOS ANGELES, CAL

RUGGLES-COLES ENGINEERING CO.,

FOR CONCENTRATES, LIME, SLAG, ROCK and CLAY.

> Robt. G. McGann & Co., THE ROOKERY, CHICAGO 39-41 Cortlandt St., New York


Fully covered by U.S.

The Imperial Gas Lamp burns ordinary gasoline, and gives 100 candle power light, without danger and with no odor and no moke.

The Imperial is admittedly the most perfect light on the market as well as the most ECONOMICAL. It is the result

of years of experiment and study and represents as nearly as nossible the perfect

No.101. Price, \$4.30 light, at the minimum cost for maintenance. Many thousands of these lights are now in use and have only to be seen to be adopted. The fixtures are made of the best polished brass and every part is the best obtainable. Every lamp is thoroughly tested, and will be sent, securely boxed, and with full directions, on receipt of price The Imperial Gas Lamp fully satisfies. Send for catalogue, showing



132 and 134 Lake St., Chicago, III.

A. H. HANDLAN, President and Ranager E. W. HANDLAN, Secretary and Treasures

M. M. BUCK MFG. CO.

Railway and Contractors Supplies

Machine Tools, Heavy Hardware and Metals; Mine, Mill, Smelter and Foundry Supplies; Manufacturers of Locomotive Head Lights; Train and Station Signal Lights, Lanterns, Oil Pilters, Lubricators, Injectors, &c.

92 North 3d Street,

St. Louis, Mo.

LACE

An Ad In the



Mining and Metallurgical Journal



_____IT WILL PAY YOU

vanide Potassium

99 per cent. pure, Beckton Brand,

MADE BY THE

Gas Light and Coke Co., London, AND ALL OTHER CHEMICALS.

Apply to Schoelkopf, Hartford & Maclagan, Ltd., 100 William St., New York.

he Jackson Hand Power





We Supply Everything for Mines and Mining

THE JACKSON DRILL & MFG. CO.

Write for Circular,

1756 Larimer Street. Denver. Colo.

IT PAYS TO ADVERTISE!

TRY AN AD MINING SO METALLURGICAL JOURNAL



Nos. 38 to 44 Fremont St.

The Latest Improved

Quartz Milling, Pumping, Hoisting and Smelting Plants, Air Compressors and Rock Drills.

"HENDY" IMPROVED "TRIPLE-DISCHARGE" TWO-STAMP QUARTZ MILLS Boilers, Engines & Pumps of all capacities

PLANS, SPECIFICATIONS and ESTIMATES OF COST SUBMITTED and CONTRACTS ENTERED INTO FOR FURNISHING and ERECTING MINING and MILLING PLANTS for all conditions of Use.

BAKER IRON WORKS

LOS ANGELES, CALIFORNIA

Mining and Milling Machinery, Atlas Engines and Boilers, Worthington Steam Pumps 🔝

Water Works Machinery

ESTABLISHED 1871

C. L. BERGER & SONS

BUFF & BERGER

nd for Illustrated Catalogue and Manual

11 Province Court, - Boston, Mass.

We buy Antimony Ore in any quan-tity and pay prompt CASH for same. Write us and let us know what you

Chapman Smelting Works Co., (INCORPORATED)
428 Battery Street. San Francisco.

NEW STANDARD CO.

INCORPORATED

Manufacturers of the

New Standard

323 POTOMAC BLOCK, LOS ANGELES, CAL

Steam and Gasoline Engines and Hoists

Giant Rock Drills Ore Cars and Drills. Iron and Steel.

JOHN WIGMORE & SONS CO. 117-123 South Los Angeles St., Los Angeles, Cal.

Mining Timbers and Construction Lumber

Prices given for delivery to any point in Mexico by Rail through Porfirio Diaz, Nuevo Laredo or Paso del Norte, and by Vessel through Gulf Ports of Tampico and Vera Cruz.

Bradley-Ramsay Lumber Co.

LOUIBIANA, U. B. A.

ADDRESS INQUIRIES FOR PRICES TO

R. N. WATSON, AGENT.

MONTERSY, N. L. MEXICO

THE BARTLETT CONCENTRATING

One of these Machines will take the place of TWO or THREE Belt Concentrators of any make and do as good work. Separates ALL the minerals from each other at one operation. Gives THREE CONCENTRATES on the one Machine at the same operation. The Machine is especially adapted to the separation of Zine and Lead.

Price, 12-ft. Table, \$350

Shipping Weight 2200 Pounds Capacity, 10 to 30 tons per 24 hours

Parties desiring tests made can send 500 lbs, or more, charges prepaid, and a run will be made and reports forwarded of the results free of all charges, except for the assay, which will not exceed \$10.00.

CAN BE SET UP ANYWHERE. Requires No Special Foundation

Sole Agents for Ingersoll-Sergeant Rock Drills and Ale Compressors, Knowles Pumps and Pulsometer Pamps, Bullock Diamond Drills.

Los Angeles, Cal. Office, W. H. filler, Representative 306 Byrne Building

PARKE & LACY COMPANY, 21 and 23 Fremont Street